INDEX TO VOLUME 75

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms, and combinations are printed in **bold face**. Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Abies balsamea, 266, 268
Abolboda, 192; **acaulis**, **191**, **192**, 194; *americana*, **192**, **193**; var. **americana**, **193**. var. **imberbis**, **193**; *grandis*, 194; var. *minor*, 194; *imberbis*, *193*; *poeppigii*, *193*; **psammophila**, **193**, **194**
Abuta klugii, 306; *obovata*, 306
Acacia spadicigera, 277
Acalypha sp., 401
Acer negundi, fluorescence in roots of, 6
Acer spicatum, 234
Achillea lanulosa, 271
Acinaria, *283*; *coccifera*, 284; *flexuosa*, *283*; *latifolia*, *284*; *salicifolia*, *284*
Aciotis dichotoma, 543; *dysophylla*, 543; *laxa*, 543; *ornata*, 543; *purpurascens*, 543
Acisanthera tetraptera, 544
Acmopyle, 151
Acrodiclidium cayennense, 314
Acrostichum flaccidum, *78*
Actaea rubra, 269
Actinomyces griseus, 258, 261; *lavendulae*, 261; sp., 258–262
Actinomycetes, search for virus inhibitors among, 256–264
Actinostachys, 67; *penicillata*, 78; *pennula*, 78
Actinostrobus, 162
Action spectrum for inhibition of the first internode of *Avena* by light, 18–21
Additional plants of El Salvador, 272–281
Adelobotrys, 539; *guianensis*, 539; *laxiflora*, *539*; sp., 539
Adiantum cayennense, 75; *dolosum*, 75; *latifolium*, 75; *petiolatum*, 75; *pulverulentum*, 75; *tetraphyllum*, 75
Adoxa, 246
Aechmea bromeliaefolia, 207; *mertensii*, 207; *mucroniflora*, 207
Aegiphila elata, 563; *integrifolia*, 563; *laevis*, 563
Aeschynomene hystrix, 395
Age of seeds, effect of upon germination and yield, 441, 442
Ageratum houstonianum, fluorescence in roots of, 8
Agerita pezizoides, 176
Agrimonia, 444
Agrostis palustris, fluorescence in roots of, 3
Agrostis scabra, 268
Agrostis tenuis, fluorescence in roots of, 3
Ailanthus altissima, fluorescence in roots of, 6
Aiouea demerarensis, **314**
Alchornea orinocensis, 403; *triplinervia*, 403; β *meridensis*, 403
Aldrovanda vesiculosa, 23
Alectoria, 486, 490
Alibertia triflora, 569
Allamanda cathartica, 553
ALLEN, CAROLINE K.: Lauraceae [of Guiana], 307
Allium cepa, fluorescence in roots of, 4
Alloplectus savannarum, **563**, **564**
Alnus arguta, 276; *crispa*, 266, 269
Aloe aristata, cell shapes of, 232, 233
Alsophila, 67; *marginalis*, 70; *microdonta*, 70; *oblonga*, 70; *pungens*, 70
ALSTON, A H. G.: Selaginellaceae [of Guiana], 79
Alyssum maritimum, fluorescence in roots of, 5
Amaioua corymbosa, 570; *guianensis*, 570
Amasonia campestris, 563
Ambelania acida, 553
Ambrosia artemisiifolia, fluorescence in roots of, 8
Amelanchier canadensis, 583; *sanguinea*, 266, 269; *stolonifera*, 584
American botanical literature, index to, 121–130, 237–244, 324–334, 460–468, 586–596, 674–690
Ammophila sp., 584
Amphidesmium, 67; *rostratum*, 80
Amphirrhox surinamensis, 526
Amphiscopia, 670; *cayennensis*, *671*
AMSHOFF, G. J. H.: Caesalpiniaceae [of Guiana], 387. Dichapetalaceae, Solanaceae [of Guiana], 655. Dioscoreaceae [of Guiana], 209. Droseraceae [of Guiana], 642. Erythroxylaceae [of Guiana], 644. Haemodoraceae [of Guiana], 209. Humiriaceae, Malpighiaceae [of Guiana], 523. Liliaceae [of Guiana], 208. Marantaceae [of Guiana], 210. Meliaceae [of Guiana], 643. Mimosaceae [of Guiana], 383.

Musaceae [of Guiana], 209. Myrtaceae [of Guiana], 528. Olacaceae [of Guiana], 303. Papilionaceae [of Guiana], 392. Polygalaceae [of Guiana], 398. Zingiberaceae [of Guiana], 209
Amylocarpus, 104; sect. *Marayarana,* 104; sect. *Yuyba,* 104
Anacardium, 301; *occidentale,* 408
Anaxagorea dolichocarpa, 640
ANCHEL, MARJORIE: The chemical nature of "cassic acid"; its identification as rhein, 581
Anchusa spp., 493
Andira coriacea, 395; **grandistipula, 394**
Andrews, Mary S., Research Fund, 585
Andromeda glaucophylla, 583
Andropogon angustatus, 91; *bicornis,* 91
Aneimia phyllitidis, fluorescence in roots of, 2
Anemopaegma citrinum, 664, 665; **maguirei, 664, 665;** *paraënse,* 664; *umbellatum,* 665; *velutinum,* 665
Angostylis, 403; **tabulamontana, 403**
Angraecum micranthum, 229
Aniba canelilla, **313;** *excelsa,* 209, **313,** 662; *hostmanniana,* **313;** *kappleri,* **312, 313;** *rosaeodora,* **312, 313;** *salicifolia,* **313;** sp., 317; *trinitalis,* 314
Anisacanthus malmei, 669; *secundus,* 669
Aniseia martinicensis, 561
Annona dodecapetala, 356; haematantha, 641; *symphyocarpa,* 641
Anona, 342; *chrysopetala, 641; peduncularis, 640;* see also under *Annona*
Antennaria neodioica, 585
Anthodiscus mazarunensis, 648
Anthurium amoenum, 633, 634
Anthurium andraeanum, fluorescence in roots of, 3
Anthurium galeottii, 633; *hookeri,* 633; *kunthii,* 633; **maguirei, 633, 634;** *nigrescens,* 634; **stahelii, 634, 635;** *subcordatum,* 275
Anthurium sect. *Calomystrium,* 635; sect. *Xialophyllium,* 634
Antibacterial substance, 502n
Antibacterial substances, synergism between, 502–511
Antibiotic substance, 502n
Antirrhinum majus, fluorescence in roots of, 8
Antrophyum, 67, 76
Aparisthmium cordatum, 403
Aphelandra gigantiflora, 280; *paraensis,* 667; *pectinata,* 667
Apical buds and root-tip chromosomes of *Medeola,* difference in form and reaction to cold in, 250–255
Apinagia perpusilla, 382; *secundiflora,* 382
Apium graveolens var. *dulce,* fluorescence in roots of, 7
Apium leptophyllum, 279
Apocynum cannabinum, 234
Appendicularia thymifolia, 542
Apteria aphylla var. *hymenanthera,* **212**
Aquilegia canadensis, 584
Aquilegia sp., fluorescence in roots of, 5
Arabis lyrata, 584
Aracococcus micranthus, 207
Aralia hispida, 270; *nudicaulis,* 270; fluorescence in roots of, 7
Archegonia of *Taxus cuspidata,* 155–159
Archytaea multiflora, **412**
Arctium minus, 502
Arctostaphylos sp., 266; *uva-ursi,* 270; var. *coactilis,* 270
Ardisia brevifolia, 279
Areca catechu, 177; *sapida,* 177
Arenaria caroliniana, 584
ARNOLD, CHESTER A.: Some cutinized seed membranes from the coalbearing rocks of Michigan, 131
Arrabidaea agno-casto, 662; *candicans,* 662; **fanshawei, 662, 663;** inaequalis, 663; *mollis,* 663; *nigrescens,* 663
Arrabidaea sect. *Microcarpaeae,* 662
Arrhenatherum elatius, fluorescence in roots of, 3
Arthrobotryum, 175; **cycadicola, 175**
Arthrostylodium racemiflorum, 275
Arundinaria falcata, fluorescence in roots of, 3
Asclepias curassavica, 560
Aspergilli, field occurrence of, 626–629
Aspergillus, 608
Aspergillus atropurpureus, 604; *awamori,* 604; *carbonarius,* 604
Aspergillus carbonarius series, 604, 630
Aspergillus foetidus, 604; *fonsecaeus,* 604
Aspergillus in relation to cellulosic substrata, 604–632
Aspergillus japonicus, 604, 608, 613, 627, 630; *luchuensis,* 604, 608, 614
Aspergillus luchuensis series, activity of on cellulosic substrata, 610–614, 616–626
Aspergillus miyakoensis, 604; mut. *Schiemannii,* 604, 614, 616; *niger,* 604–614, 623, 627
Aspergillus niger series, 604, 630
Aspergillus phoenicis, 604; *pulverulentus,* 604; *violaceo-fuscus,* 604, 614, 630
Aspidium goldieanum, 234
Aspidosperma desmanthum, 553; *oblongum,* 553

Asplenium angustifolium, 234; *angustum*, 74; *auritum* var. *obtusum*, 74; *dimidiatum*, 74; *integerrimum*, 74; *nidus*, 638; *pedicullariifolium*, 74; *perkinsii*, 74; *rutaceum*, 74; *salicifolium*, 74; *serra*, 74; *serratum*, 74
Aster ciliolatus, 270; *macrophyllus*, 271; *umbellatus* var. *pubens*, 271
Athyrium angustum, 267
Athyrocarpus rufipes, 208
Aulomyrcia albido-tomentosa, 532; citrifolia, 531; *divaricata*, 531; *dumosa*, *531*, 532; *hostmanniana*, 532; *lucida*, 531; var. *grandifolia*, 531; *minutiflora*, 532; *obtusa*, 531; **platyclada**, 531; var. **kaieteurensis, 532**; *tobagensis*, 530; *triflora*, 531
Austrotaxus, 151, 157, 482
Authors' names, citation of, 172–174
Avena, 1, 45
Avena sativa, 1; fluorescence in roots of, 3, 9, 12, 13; fluorescence of extract of roots of, 10; fluorescing fractions from root extract of, 11; inhibition of first internode of by light, 18–21
Axonopus attenuatus, 83; *caulescens*, 82; **fiabelliformis, 82**, 83; **kaietukensis, 83; purpurellus, 83, 84**
Aydendron cayennense, 314

Bacillus mycoides, 502, 504, 505, 508; *subtilis*, 502, 504, 505, 508
Bacteriophages, Actinomycetes antagonistic to, 256–264
Bactris, 104; *simplicifrons*, 104; sp., 102, 636
BAILEY, LIBERTY HYDE: Palmae [of Guiana], 102
BALL, CARLETON R.: *Salix petiolaris* J. E. Smith: American, not British, 178
Banara guianensis, 414
Banisteriopsis elegans subsp. *cordata*, 525; *leptocarpa*, 524; *lucida*, 524
BARTON, LELA V.: The effect of age and storage conditions of seeds upon germination and yield [abstr.], 441
BARTRAM, EDWIN BUNTING: Musci [of Guiana], 64
Bauhinia acala-simiae, 390
Bazzania gracilis, 64
Beaver Island, Lake Superior, Minnesota, ferns and flowering plants of, 265–271
Becquerelia, 91; *cymosa*, 100
Befaria glauca, 651
Begonia barbata, 278; *calderonii*, 278; *glabra*, 527; *jenmani*, 527; *prieuri*, 527
Bellucia grossularioides, 300, 301, 545
Beloperone, 669, 670; *calycina*, *669*
Benzoin aestivale, fluorescence in roots of, 5
Berberis cretica, 492–494
Berberis thunbergii, fluorescence in roots of, 5, 9
Berberis vulgaris, 492
BERGER, CHARLES A.: Normal and induced polyploidation [abstr.], 443
Bertiera guianensis, 569; sp., 569
Betula cordata, 266; *cordifolia*, 269
Betula lenta, fluorescence in roots of, 4
Betula papyrifera, 266, 269
Bidens pilosa var. *mucronata* f. *odorata*, 281
Bifrenaria bicornaria, **226, 227**
Biota, 481
Bisboeckelera, 100; *longifolia*, 100
Black *Aspergilli* in relation to cellulosic substrata, 604–632
Blasdale, Walter C.: The cultivated species of *Primula* [review], 672
Blastocaulon rupestre, 202
Blechnum gracile, 75; *indicum*, 75; *occidentale*, 75; *serrulatum*, *75*
Blepharodon nitidus, 560
Boerhaavia coccinea, 305; *paniculata*, *305*
Bolbitis aliena, 71; *crenata*, 72; **maguirei, 71, 72; scopulina, 72**
Bolbitis sect. *Anapausia*, 73
Bolbitis serratifolia, 72
Bonamia maripoides, 561
Bonnetia sessilis, **412**
Borreria capitata, 580; *laevis*, 580; *verticillata*, 580
Botanical references, citation of, 166–171
Botrychium lanceolatum var. *angustisegmentum*, 234; *matricariaefolium*, 234; *virginianum*, 597
Botrytis epichloes, 176
Bourreria huanita, 280
Boussingaultia ramosa, 276
Brachypterys ovata, 525
Brassavola cucullata, 221; *martiana*, **222**; sp., **221, 222**
Brassia wageneri, **228**
Brassica oleracea, fluorescence in roots of, 5
Bredemeyera densiflora var. *glabra*, 399
BREMEKAMP, C. E.: Acanthaceae [of Guiana], 667
Breweria pickeringii, 234
Brocchinia micrantha, 206, 658; *reducta*, 206; *tatei*, 658
Bromeliaceae subfam. Bromelioideae, 207; subfam. Pitcairneoideae, 205; subfam. Tillandsioideae, 207

Bromus inermis, fluorescence in roots of, 3
Brosimum alicastrum, 276; *guianense*, 293; **rotundatum, 293**; *velutinum*, 294
Brunfelsia guianensis, 657
Buchenavia fanshawei, 648, 649; *grandis*, 649; *ochroprumna*, 649
Buddleia nitida, 279
Bulbostylis junciformis, 93; *lanata*, 93
Burmannia bicolor, **211**; *capitata*, **211**; *tenella*, **211**
Burmanniaceae tribe Burmannieae subtribe Apterieae, 212; subtribe Euburmannieae, 211
Byrsonima aerugo, 525; *coriacea*, 525; *crassifolia*, 525; *eugeniifolia*, 526; *gymnocalycina*, 526; *incarnata*, 526

Cactaceae, pollen grain characters of, 516–522
Caesalpinia conzattii, 277
Cajanus discolor, 277
Calamagrostis canadensis, 268; *inexpansa*, 268
Calathea alluia, 210; *cyclophora*, 210; *elliptica*, 210; *grandis*, 210
Calendula officinalis, fluorescence in roots of, 8
Calla palustris, 583
Calliandra tergemina, 387
Callichlamys latifolia, 666
Callicostella aspera, 66
Calophyllum brasiliense, 418
Calopogonium coeruleum, 395
Caltha palustris, 583
Calycolpus revolutus, 538
Calycorectes bergii, 534; grandifolius, 534; *latifolius, 534*
Calymperes ebaloi, 65
Calymperes (*Eucalymperes*), 65
Calymperes guildingii, 65; *lonchophyllum*, 65; **maguirei, 65**; *petiolatum*, 65
Calyptranthes fasciculata, 528; *lucida*, 528; *pendula*, 278; *puchella*, 529; sp., 529
Calyptrocarya, 100; *angustifolia, 100; fragifera, 100; glomerulata*, 100; *intermedia*, 100; *poeppigiana*, 100
CAMP, WENDELL HOLMES: Ericaceae, Vacciniaceae [of Guiana], 650. The nomenclature of hybrids, 496
Campanula ramosissima, fluorescence in roots of, 8
Campanula rotundifolia var. *intercedens*, 270; f. *cleistocodona*, 267, 270
Campbell, D. H.: Origins of the flora of California [review], 119
Campylocentrum micranthum, **229, 230**
Campylopus filifolius, 64; *richardi*, 64
Cananga odorata, 276
Caraipa richardiana, 418
Cardamine douglasii, 582
Carex, 100, 500; *brunnescens*, 268; *canescens*, 268; *crawfordii*, 268; *deflexa*, 267, 269; *disperma*, 268; *donnell-smithii*, 275; *lenticularis*, 268; *pensylvanica*, 584; *tonsa*, 269; *umbellata*, 269, 582, 584
Carex vulpinoides, fluorescence in roots of, 3
CARLSON, MARGERY C.: Additional plants of El Salvador, 272
Carludovica angustissima, 190; *coronata*, 189; **fanshawei, 189; fimbriata, 189, 190**; *glandulosa*, 190, 191; *insularis*, 190; *nana*, 190; *pygmaea*, 190; *sarmentosa*, 190
Carludovica sect. *Sarcinanthus*, 191
Carludovica stylaris, 190, 191
Carpolithus, 139, 142
Carpotroche surinamensis, 414
Carum carvi, 270
Casearia guianensis, 414; *laevis*, 278; *macrophylla*, 414; *silvestris*, 414
Cassia apoucouita, 391; *glandulosa* var. *swartzii*, 391; *guatemalensis*, 277; *indecora*, 277; *latifolia*, 391; *lucens*, 391; *multijuga*, 391; *occidentalis*, 390; *patellaria*, 391; *quinquangulata*, 390; *reticulata*, 509, 581; *tetraphylla* var. *ramosa*, 391
"Cassic acid" identified as rhein, 581
Cassytha filiformis, **316**
Castilleia integrifolia, 280
Catasetum discolor, **223, 224**; planiceps, **224**; sp., 223
Catinga moschata; 534
Catopsis berteroniana, 207
Cattleya, 360, 371
Cavendishia guatemalensis, 279
Cecropia obtusifolia, 276
Ceiba sp., 636
Celastrus scandens, fluorescence in roots of, 6
Celastrus vulcanicola, 277
Cell shapes, 232, 233
Cellulosic substrata, the black *Aspergilli* in relation to, 604–632
Celtis occidentalis, fluorescence in roots of, 4
Cenchrus echinatus, 89
Centaurea cyanus, fluorescence in roots of, 8
Centradenia bernoullii, 278

Centrosema brasiliana, 395
Centrosolenia glabra, 565
Cephaelis altsoni, 573; *axillaris*, 280; *barcellana*, 574; *callithrix*, 574; *dichotoma*, *577*; **fanshawei**, **574**; *kappleri*, 574; *potaroensis*, 574; *pubescens*, 574; *tatei*, 575; *tomentosa*, 575; *violacea*, 575
Cephalocarpus, 101, 102; *longebracteatus*, 101; *rigidus*, 101; var. *mucronatus*, 101; sp., 101
Cephalostemon affinis, 204
Cephalotaxus, 147, 151, 478, 481
Ceratopteris pteridoides, 78; *thalictroides*, 78
Cereal rust fungi, oversummering and overwintering of, 492–495
Cereus giganteus, 517; *greggii*, 517
Cereus, pollen grains of, 516, 517, 519, 520, 521
Cereus shottii, 516, 517; *thurberi*, 517
Cestrum guatemalense, 280; *latifolium* var. *tenuiflorum*, 656
Chaetocarpus, 400; *schomburgkianus*, 405
Chaetomium globosum, 605, 609, 611, 613, 618, 623, 624, 627
Chalepophyllum, 567; *guianense*, 567; *latifolium*, 567; *speciosum*, 567
Chamaedaphne, 234; *calcyculata*, 266, 270, 582
Chamaesyce glomerifera, 407; *hirta*, 408; *hypericifolia*, 408; *indica*, 408; *pilulifera*, 408
CHANEY, RALPH W.: *Metasequoia* summary, 439
Chara, 282–284; *capillaris*, 283; *capitata*, 283; *contraria*, 282; *fetidissima*, *282*; *patens*, *283*; sp., 283
Characeae, Rafinesque's names for, 282–285
Characias, *282*, 284, 285
Charadrius, 235
Cheesequake State Park, N. J., plants of, 234, 235
Cheiloclinium anomalum, 410; *cognatum*, 410; *hippocrateoides*, 410; sp., 410
Chemical nature of "cassic acid"; its identification as rhein, 581
Chenopodium leptophyllum, 269
Chenopodium sp., fluorescence in roots of, 4
Chimaphila umbellata var. *mexicana*, 279
Chimarrhis cymosa, 567
Chloris radiata, 82
Chomelia tenuiflora, 571
Chondodendron candicans, 307
Chromosomes of Magnoliaceae, 343, 344; of root-tip and apical bud of *Medeola*, difference in form and reaction to cold in, 250–255
Chytropsia astrellantha, *576*
Cirsium spinosissimum, 584; *subcoriaceum*, 281
Cissampelos andromorpha, 307
Cissus martiniana, 277
Citation of authors' names in taxonomy, 172–174; of botanical references, 166–171; rules for, 166–171
Citharexylum macrophyllum, 563
Citrus sinensis, fluorescence in roots of, 6
Cladonia pycnoclado, 63
Cleavage of embryo of *Taxus cuspidata*, 476, 478
Clematis verticillata, 583
Clethra pachecoana, 279; *salvadorensis*, 279
Clidemia, 547; *apanantha*, 547; *capitata*, 547; *conglomerata*, 549; *coriacea*, 548; *hirta*, 548; *involucrata*, 548; *japurensis*, 547; *minutiflora*, 547; *pycnaster*, 548; *rubra*, 547; *septuplinervia*, 548; *silvicola*, 548; sp., 549; *strigillosa*, 548; *tiliaefolia*, 547; *umbonata*, 548
Clintonia borealis, 269
Clitoria arborescens, 395; *javitensis* var. *glabra*, 395
Clusia, 412, 417, 418, 432; *colorans*, 429, 430; *crassifolia*, **418**, **419**; *cuneata*, **418**, 422; *fockeana*, 424, 426; *fragrans*, 418; *grandiflora*, 426, 429; *guatemalense*, 278; *insignis*, 426; *jenmani*, **430**; **lunanthera**, 422, **423**, **431**, **432**; *melchiori*, **422**; **mutica**, 422, **423**, **428**; *nemorosa*, 429; *palmicida*, 429; pana-panari, **430**; parvicapsula, **430**, **431**; *purpurea*, 426; *robusta*, **429**; *rosea*, 429; *rotundifolia*, 424; **savannarum**, **422**, 424, **425**
Clusia sect. *Anandrogyne*, 422; sect. *Androstylum*, 424, 426; sect. *Clusiastrum*, 418, 419, 422; sect. *Euclusia*, 426, 428, 429; sect. *Pachystemon* subsect. *Quapoiy*, 430; sect. *Phloianthera*, 426; sect. *Polythecandra*, 430; sect. *Pseudoquapoia*, 429, 430
Clusia stahelii, **424**, **426**, **427**; **stylosa**, **419–422**; **tabulamontana**, **421**, **422**; *utilis*, 431
Clytostoma binatum, 665
Cnidoscolus aconitifolius, 277; *tubulosus*, 277
Coal-bearing rocks of Michigan, cutinized seed membranes from, 131–146
Coccocypselum guianense, 568
Coccoloba conduplicata, **304**; *guianensis*, 304; *lepidota*, 304; *micropuncta*, 304
Coccoloba sect. *Campderia*, 304
Cochlidium furcatum, 76
Codonanthe bipartita, *564*; *calcarata*, 564; *crassifolia*, 564

Coelopleurum actaeifolium, 439
Cold, reaction to of root-tip and apical bud chromosomes of *Medeola*, 250–255
Coleus blumei, fluorescence in roots of, 7
Collinsonia canadensis, 234
Columnea, 565; *consanguinea*, 565; **guianensis. 564, 565**
Combretum brunnescens, 649; *cacoucia*, 649; *laxum*, 649; *pyramidatum*, 649
Commelina, 639; *erecta*, 275
Comolia angustifolia, 544; *lythrarioides*, 543; *vernicosa*, 543; *veronicaefolia*, 544; *villosa*, 544
Comparison of evolutionary tendencies in plants, fungi, and animals, 442, 443
Conceveiba guianensis, 402; *guyanensis*, *402*; *latifolia*, 402
Conceveïbum cordatum, *403*
Condylocarpum myrtifolium, 553
Connarus perrottetii, 642
CONSTANCE, LINCOLN: [review], 119
Conyza apurensis, 281
Cookeina sulcipes, 61
Copaifera guyanensis, 388
Coptis groenlandica, 267, 269; *trifolia*, 582, 583
Cordia bicolor, 562; *dentata*, 280; *exaltata*, 562; *fallax*, 563; *macrostachya*, 562; *nervosa*, 562; *nodosa*, 562; *polycephala*, 562; *schomburgkii*, 562
Corema conradii, 582
Cornus, 235; *baileyi*, 266, 270; *canadensis*, 266, 270
Cornus florida, fluorescence in roots of, 7
Cornus stolonifera, 266, 270
Corticium abeuns, 502n; *ochraceum*, 502n; sp., 502, 505, 506, 507, 509
Corydalis sempervirens, 269
Corynostylis arborea, 526
Cosmibuena grandiflora, 567
Costus cylindricus, 209; sp., 208
Cotton duck, activity of *Aspergilli* on, 610–617, 622–626
Couepia canomensis, **376**; *caryophylloides*, **376**; *cognata*, **376**; **exflexa**, **376**, **377**
Couepia group *Bracteosa*, 377
Couepia habrantha, 377; *magnoliaefolia*, 377; *myrtifolia*, 377; *pauciflora*, 378; *thyrsiflora*, 377; *versicolor*, 377; *villosa*, 378
Couma rigida, 554
Couratari multiflora, 527
Coussapoa angustifolia, 294; *microcephala*, 294
Coussarea paniculata, 573; *racemosa*, 573; *surinamensis*, 573
Coutarea hexandra, 567
Cranichis luteola, *222*
Crataegus, 499
Crepis, 499
Crinum, 599
CRITOPOULOS, P. D.: Oversummering and overwintering of the cereal rust fungi, 492
CROIZAT, LEON: *Euphorbia maculata:* a rejoinder, 188; Euphorbiaceae [of Guiana], 400
Cronartium ribicola, 268
Crotalaria mucronata, 277; *sagittalis*, 234
Croton, 407; *californicus*, 407; *chamaedryfolius*, 401; *cuneatus*, 401; *fragilis*, 402; *galeopsifolius*, 402; *glandulosus*, 401; f. *hirtus*, *401;* var. *hirtus*, *401;* subsp. **hirtus, 401**; *gossypiifolius*, 402; *guatemalensis*, 277; *hirtus*, *401;* *hostmannii*, 401; *lobatus*, 401; *miquelianus*, *401;* *neomexicanus*, 407; **nuntians, 402**; *palanostigma*, 402; *platanifolius*, 402; *punctatus*, 407; **tafelbergicus, 401, 402**; *trinitatis*, 401
Crotonopsis elliptica, 234; *linearis*, 234
Crown-gall tumor tissue, growth-promoting action of, 45–50
Crudia aromatica, 388
Cryptangium, 101; *leptocladum*, 101; *stellatum*, 101
Cryptochloa concinna, 89
Cryptomeria, 158, 470, 481
Cuervea kappleriana, 409
Culture of proliferating orchid embryos in vitro, 358–373
Cunninghamia, 481
Cunuria, 405; *spruceana*, 405
Cupania hirsuta, 411; *lanuginosa*, *411*
CURTIS, J T.: Culture of proliferating orchid embryos in vitro, 358
Cutinized seed membranes from the coal-bearing rocks of Michigan, 131–146
Cycas circinalis, 175
Cycas, leaf-parasite of, 175
Cycas revoluta, 175; *thouarsii*, 597
Cyclanthus, 577; *bipartitus*, 189
Cydista aequinoctialis, 664
Cylindrosporium koenigii, 177
Cymbidium andersonii, *223;* *bicolor*, 371; Falcon × Ophir, 359
Cymbidium hybrid, proliferating embryos of, 358, 359, 364–369
Cymbopetalum brasiliense, 640
Cynanchum, 560
Cynodon dactylon, 175
Cynoglossum grande, fluorescence in roots of, 7
Cynometra marginata, 388

Cyperus alternifolius, fluorescence in roots of, 3
Cyperus cayennensis, *91*; *diffusus*, 91; var. *tolucensis*, 91; *flavus*, 91; *giganteus*, 91; *luzulae*, 91; *polystachyus*, 92; *simplex*, 92; *subumbellatus*, 92; *surinamensis*, 92
Cypripedium acaule, fluorescence in roots of, 4
Cyrilla racemiflora, 409
Cyrtomium falcatum, fluorescence in roots of, 2
Cyrtopodium andersonii, **223**
Cystopteris fragilis, 267

Dactylina madreporiformis, 63
Dactylis glomerata, fluorescence in roots of, 3
Dahlia, 498
Dalbergia glabra, 277; *glauca*, 393; *monetaria*, 393; *riedeli*, 393
Dalea vulneraria, 277
Danaea simplicifolia, 79
Danthonia spicata, 268
Datura ceratocaula, 371; *metel*, 371; sp., 371
Datura stramonium, fluorescence in roots of, 7
Daucus carota var. *sativa*, fluorescence in roots of, 7
De Ropp, R. S.: The growth-promoting action of bacteria-free crown-gall tumor tissue, 45
Delphinium ajacis, fluorescence in roots of, 5
Dennstaedtia punctilobula, fluorescence in roots of, 2, 12, 13
Dentaria heterophylla, 582
Derris amazonica, 394
Deschampsia caespitosa, 268
Desmocelis villosa, 545
Desmodium kaieteurensis, 113, 115; maguirei, 108, 111, 112, 115; *nicaraguense*, 277; **parvulus, 114, 115;** *procumbens*, 396; *rotundifolium*, 234; *scorpiurus*, 277
Dianthera, 670
Dianthus caryophyllus, fluorescence in roots of, 4
Dicentra cucullaria, 582
Dichaea muricata, 229; *rendlei*, **229**; spp., **229**
Dichapetalum pedunculatum, 655; *vestitum*, 655
Dichorisandra hexandra, 208
Dichromena ciliata, 94; *pubera*, 94; *repens*, 95
Dicranella rufescens, 585
Dicranopteris, 67; *remota*, 78
Dictyostega orobanchioides, **212**
Dicymbe jenmani, 391
Didymiandrum stellatum, 101
Didymochlaena truncatula, 71
Didymoglossum cordifolium, 68
Dieffenbachia seguina, 635
Diervilla lonicera, 266, 270
Difference in form and reaction to cold in root-tip and apical bud chromosomes of *Medeola*, 250–255
Digitaria argillacea, 82
Dimorphandra conjugata, 388; *cuprea*, 388; *hohenkerkii*, 388
Dioclea glabra, 395; *guianensis*, 395; *macrocarpa*, 395; *virgata*, 395
Diodea hyssopifolia, 580; *sarmentosa*, 580
Diolena, 542; *agrimonioides*, 542; *pileoides*, 542; **repens, 541,** 542
Dionaea muscipula, physical analysis of the opening and closing movements of the lobes of, 22–44
Dioon, 472
Dioscorea amazonum, 209; *polygonoides*, 209; *trichanthera*, 209
Diospyros dichroa, 654; *guianensis*, 654; *ierensis*, 654; *lissocarpoides*, 654; *tetrandra*, 654
Diphysa floribunda, 277
Diplacrum, 100
Diplasia, 91; *karataefolia*, 95
Diplazium lechleri, 74
Diplotropis purpurea, 392, 393; *racemosa* var. **kaieteurensis, 393**
Discocarpus, 400; **mazarunensis, 400**
Discophora guianensis, 411
Distictella racemosa, 665
Dodecastigma, 404; **mazarunense, 404**
Doryopteris sagittifolia, 75
Dracaena fragrans var. *massangeana*, fluorescence in roots of, 4
Drejera boliviensis, 669
Drepanocarpus lunatus, 88, 393
Drosera, 444, 639; *capillaris*, 642; *cayennensis*, 642; *pusilla*, 642
Drymaria cordata, 306
Drymonia cristata, 565
Dryopteris disjuncta, 267; *extensa*, 70; *fragrans*, 267; *hostmannii*, 70; *meniscioides*, 71
Dryopteris noveboracensis, fluorescence in roots of, 2
Dryopteris ochropteroides, 71; *phegopteris*, 267; *popayanensis*, 71; *protensa* var. *funesta*, 71; *sancti-gabrieli*, 71
Dryopteris sect. *Cyclosorus*, 70
**Dryopteris serrata*, 71; *spinulosa*, 267
Drypetes variabilis, 400

Duchesnea indica, 585
Duck, cotton, activity of *Aspergilli* on, 610–617, 622–626
Duguetia calycina, 641; *inconspicua*, 641; *megalophylla*, 641; *neglecta*, 641; *pycnastera*, 641
Duroia eriopila, 570; *genipoides*, 570; *sprucei*, *570*
Dyspemptemorion, 670, 671; cayennense, 671

Echinocactus acanthodes, 517, **519**, 520; *covillei*, 517; *erectocentrus*, 517; *horizonthalonius*, 517; *intertextus*, 517; *johnsonii*, 517; *lecontei*, 517; *longihamatus*, 517
Echinocactus, pollen grains of, 516, 517, 519–521
Echinocactus polyancistrus, 517; *sileri*, 517; *whipplei*, 517; *wislizenii*, 517
Echinocereus bonkerae, 517; *boyce-thompsoni*, 517; *coccineus*, 517; *engelmannii*, 517; *fendleri*, 517; *ledingii*, 517; *mojavensis*, 517; *pentalophus*, 517, 522
Echinocereus, pollen grains of, 516, 517, 519–521
Echinocereus polyacanthus, 517; *rectospinus* var. *robustus*, 517; *rigidissimus*, 517
Echinolaena inflexa, 82
Effect of age and storage conditions of seeds upon germination and yield, 441, 442
Ekman, Erik Leonard, in Santo Domingo, 444, 445
El Salvador, plants of, 272–281
Elaeagia, 568; *karstenii*, 568; **maguirei, 568**
Elaphoglossum glabellum, 78; *plumosum*, 78; *rigidum*, 78; *schomburgkii*, 78; *spathulatum*, 78
Eleocharis geniculata, 92; *interstincta*, 92; *subfoliata*, 93; sp., 93
Elephantopus mollis, 281
Elleanthus linifolius, **213**
Elodea, cell shapes of, 232, 233
Elvasia essequibensis, 644
Embryogeny of *Taxus cuspidata*, 469–485
Embryology of *Epidendrum prismatocarpum*, 245–249
Embryos of orchids, culture of, 358–373
Emmotum argenteum, 411
Endlicheria endlicheriopsis, **316**; *pyriformis*, **315**; *sericea*, **315, 316**; sp., 317
Entada polyphylla, 384
Enterolobium schomburgkii, 387
Eperua, 214, 229; *falcata*, 388; *rubiginosa* var. *grandiflora*, 388
Epichloe cinerea, 176, 177
Epidendrum, 248, 249; *ciliare*, 245, 246, 248; *cochleatum*, 245, 248; *ibaguense* var. *schomburgkii*, **217**; *imatophyllum*, **218, 219**; **latipetalum, 219, 220**; *nocturnum*, **219, 221**; *oncidioides*, **221**
Epidendrum prismatocarpum, embryology of, 245–249
Epidendrum purpurascens, **221**; *pusillum*, *228*; *ruscifolium*, *216*; *schomburgkii*, *217*; *utricularioides*, *227*; *variegatum*, 246; *verrucosum*, 248
Epigaea repens, 582
Epilobium adenocaulon, 270; *angustifolium*, 270; *densum*, 233; *rosmarinifolium*, 233
Epipactis palustris, 248
Episcia ciliosa, **565, 566**; *cuneata*, 566; *densa*, 566; *glabra*, 565; *hirsuta*, 566; *maculata*, 566; sp., 566
Epistephium parviflorum, 213; sp., **213**
Equisetum arvense, fluorescence in roots of, 2
Eragrostis ciliaris, 81; *glomerata*, 81; *maipurensis*, 81; *pilosa*, 176
Eriocaulon caesium, 196; **heterodoxum, 194, 195**
Ernestia, 542; *cordifolia*, 543; *glandulosa*, 543; **minor, 542**, 543; *pullei*, 542, 543; *rubra*, 543
Erophila, 500
Eryngium, 97
Erythrina berteroana, 277; *macrophylla*, 277
Erythrodes santensis, **214**
Erythronium americanum, 582
Erythroxylon citrifolium, 644
Eschatogramme desvauxii, 78
Eschweilera corrugata, 528; *holcogyne*, 528; *labriculata*, 528; *longipes*, 528; sp., 528
ESSON, JAMES G.: [review], 672
Eucamptodontopsis pilifera, 64
Euceraea nitida, 414
Eugenia anastomosans, 536; *armeniaca*, 536; *atropunctata*, 534; *baileyi*, 536; *biflora*, 535; *brachypoda*, *535*; *chrysophyllum*, 535; *compta*, 536; *eurycheila*, 534; *excelsa*, 535; *fallax*, *533*; *ferreireana*, 535; *flavescens*, 537; *fulvipes*, *535*; **kaieteurensis, 536**; *latifolia*, 537; *marchiana*, 537; *montana*, *530*; *myriostigma*, 535; *prieurei*, *536*; *punicifolia*, 537; *ramiflora*, 534, 535; var. **montana, 535**; *schomburgkii*, 537; spp., 537; **tafelbergica, 535, 536**; *tapacumensis*, 537; *wentii*, 534

Eulophia alta, **222, 223**; *epidendraea*, 371
Eupatorium araliaefolium, 281; *coulteri*, 281; *ligustrinum*, 281; *luxii*, 281; *mairetianum*, 281; *microstemon*, 281; *resinosum*, 234; *skutchii*, 281
Euphorbia barbellata, 407; *elliptica*, 407; *glomerifera*, 407; *heterophylla*, 407; *hirta*, 407; *maculata*, 188
Euphorbia maculata: a rejoinder, 188
Euphorbia morisoniana, 407; *pilulifera*, *408*; *prunifolia*, 407; *scabrella*, 277
Euphorbia splendens, fluorescence in roots of, 6
Euphrasia hudsoniana, 270
Euterpe, 577; sp., 638
Everardia, 101, 102; *montana*, 101
Evolution of Indian corn, 443, 444
Evolutionary tendencies in plants, fungi, and animals, 442, 443
Exochogyne, 101; *amazonica*, *100*, 101; *decandra*, 101; *megalorrhyncha*, 100
Experiments upon the regeneration of certain species of *Peltigera;* and their relationships to the taxonomy of this genus, 486–491

Fagus, 499, 500
FANSHAWE, D. B.: Rosaceae [of Guiana], 317
Faramea capillipes, 573; *longifolia*, 573; *quadricostata*, 573; *salicifolia*, 573
Ferdinandusa rudgeoides, 567
Ferns and flowering plants of Beaver Island, Lake Superior, Minnesota, 265–271
Fertilization in *Taxus cuspidata*, 160, 161
Festuca elatior, fluorescence in roots of, 3
Festuca octoflora, 584; *rubra*, 584
Festuca rubra var. *commutata*, fluorescence in roots of, 3
Festuca saximontana, 368
Ficus albert-smithii, 294; *angustifolia*, 294; **arctocarpa, 294; arukensis, 295;** cotinifolia, 276; **erratica, 295; fanshawei, 295, 296;** gigantea, 296; glaucescens, 296; inamoena, 276; **maguirei, 296;** malacocarpa, 297; **manicariarum, 297;** martini, 297; **mensalis, 297; pakkensis, 297, 298; paludica, 298;** paraensis, 295; **savannarum, 298**
Ficus subg. *Urostigma*, 294–298
Ficus velutina, 299
Field trip reports, 234–236, 582–585
Filter paper, growth of *Aspergilli* on, 617–622
Fimbristylis annua var. *diphylla*, 93; *aspera*, 93; *autumnalis*, 94; *complanata*, 93; *miliacea*, 93
Fitzroya, 148, 162
Flora of New York local area, 234, 235, 439
Flowers of Magnoliaceae, 337–342
Fluorescing substances in roots, 1–17
Following Ekman's footsteps in Santo Domingo, 444, 445
Fomes australis, 61; *pseudosenex*, 61
Forsteronia gracilis, 554; sp., 554; *spicata*, 554
Fossil plant remains from coal-bearing rocks of Michigan, 131–146
Fossil plants, 439, 440
Fossil seeds, 133–146
Fossombronia cristula, 233, 234
Fragaria, 498
Fragaria sp., fluorescence in roots of, 5
Fraxinus pennsylvanica, fluorescence in roots of, 7
FRIES, ROBERT E.: Annonaceae [of Guiana], 640
Fuchsia arborescens, 279; *michoacanensis*, 279
Fuchsia speciosa, fluorescence in roots of, 7
Fuirena umbellata, 93
FULFORD, MARGARET HANNAH: Hepaticae [of Guiana], 64
Fungi, new species of, 175–177; of Guiana, 60–63

Galeopsis tetrahit, 498
Galinsoga ciliata, fluorescence in roots of, 8
Galium triflorum, 270
Gametophyte development in *Taxus cuspidata*, 147–165
Gametophyte of *Zamia floridana*, regeneration in, 597–603
Gametophytes of *Taxus cuspidata*, 147–165
Gamotopea callithrix, *574*
Garcia, 404, 405; *nutans*, 404
Gaultheria chiapensis, 279; *lancifolia* var. *dulcis*, 279
Gaylussacia baccata, 584
Geissaspermum sericeum, 554
Genipa americana, 570
Genlisea anfractuosa, 657; **nigrocaulis, 657;** *pulchella*, 657; *roraimensis*, 657
Gentiana porphyrio, 234
Geonoma acaulis, 102; *baculifera*, 104; *binervia*, 104; **maguirei, 102, 103;** *pinnatifrons*, 104; **saramaccana, 104, 105;** sp., 104; *stricta*, 104; *vaga*, 104
Geophylla cordifolia, 575; *herbacea*, 575
Geranium guatemalense, 277
Ginkgo, 143

GLEASON, HENRY ALLAN: Melastomaceae [of Guiana], 538
Gleichenia, 67
Gliricidia guatemalensis, 277
Glocosporium palmarum, 177; sp., 177
Glycine max, fluorescence in roots of, 5
Gnaphalium americanum, 281
Gnetum nodiflorum, 80; *paniculatum*, 81
Gonolobus riparius, 560
Gonzalagunia spicata, 568
GOODWIN, RICHARD HALE: An action spectrum for inhibition of the first internode of *Avena* by light, 18. Fluorescing substances in roots, 1
Graffenrieda caryophyllea, 540; *ovalifolia*, 539; *weddellii*, 539
Grafting tumor tissue to *Helianthus* stem, 46
Growth-promoting action of bacteria-free crown-gall tumor tissue, 45–50
Guatteria chrysopetala, 641; *gracilipes*, 641; *procera*, 641; *scandens*, 641; *schomburgkiana*, 641; *umbonata*, 641
Guiana, plant explorations in, in 1944, 56–115, 180–230, 286–323, 374–438, 523–580, 633–671
Gustavia angusta, 528
Guzmania altsonii, 207
Gymnosiphon fimbriatus, **212**; *guianensis*, 212

Habenaria leprieurii, **213**
Haloschoenus capillaris var. *congestus*, 94
HAUSMAN, ETHEL HINCKLEY: Measurements of the annual growth rate of two species of rock lichens, 116
Havetiopsis flavida, 433
HAWKES, ALEX D.: Araceae [of Guiana], 633
Hecastophyllum monetaria var. *riedeli*, 393
Hecistopteris pumila, 76; var. **obtusa**, **76**
HEISER, CHARLES B., JR.: Taxonomic and cytological notes on the annual species of *Helianthus*, 512
Heisteria cauliflora, 303; *densifrons*, 303; *iquitensis*, 303; *microcalyx*, 303; *scandens*, 303; *surinamensis*, 303
Helianthus, 512, 515; *agrestis*, 512
Helianthus annuus, 512–514; fluorescence in roots of, 8; growth-promoting action of tumor tissue of, 45–50
Helianthus anomalus, 512; *argophyllus*, 512, 514, 515; *bolanderi*, 512–514; *canus*, 512; *cucumerifolius*, 512; *debilis*, 512; var. *cucumerifolius*, 512, 514; **jaegeri**, 512, **513**, 514, 515; *mollis*, 585; *petiolaris*, 512–514; var. *canescens*, 512–515; *praetermissus*, 512
Helianthus, taxonomic and cytological notes on the annual species of, 512–515
Helianthus vestitus, 512
Heliconia acuminata, 209; *collinsiana*, 275; *psittacorum*, 209; sp., 209
Helicteris mexicana, 278
Heliotropium oaxacanum, 280
Helonias bullata, 582, 584
Helosis cayennensis, 303
Hemicarpha micrantha, 92
Hemitelia hirsuta, 70; *macrocarpa*, 70; *parkeri*, 70
Henriettea maroniensis, 545; *multiflora*, 545; *ramiflora*, 546; *succosa*, 545, 546
Henriettella, 545; *cordata*, 545; *flavescens*, 545; **venosa**, **545**; *verrucosa*, 545
Henriquezia jenmani, 567
HERVEY, ANNETTE (HOCHBERG): Synergism between some antibacterial substances, 502
Heterocentron glandulosum, 278
Heteropsis jenmani, 635
Heteropteris macrostachya, 524; *multiflora*, 524; *nervosa*, 524
Heterostemon otophorus, 390
Heterotrichum glandulosum, 278
Hevea guianensis, 408; sp., 408
Hibiscus rosa-sinensis, fluorescence in roots of, 6
Hieracium canadense, 271; *pilosella*, 585
Hieronyma laxiflora, 401; *oblonga*, 401
Himatanthus articulata, 554; *bracteata*, 555
Hippocratea volubilis, 409
Hiraea chrysophylla, 524; *fagifolia* var. *blanchetiana*, 524
Hirtella angustissima, **378**, **379**; **caduca**, **379**, **380**; *ciliata*, **380**; *corymbosa*, 380; *cotticaeënsis*, **380**; *davisii*, **380**; *glandulosa*, 382; *guyanensis*, **380**; *macrosepala*, 379, **380**, **381**; *manigera*, **381**; *paniculata*, **381**; *physophora*, 380; *punctilata*, 380; *racemosa*, **381**; sp., **380**; **subsetosa**, **381**; **velutina**, **382**
HOLLINGHURST, HONOR: Minutes of the Annual Meeting, January 8, 1948, 440. Minutes of the meeting . . . , 231, 232
Homalium densiflorum, 414; *guianense*, 414, 415; *pedicellatum*, 415
Homolepis isocalycia, 88
Hoppia, 100
Hordeum jubatum, 371
Hordeum vulgare, fluorescence in roots of, 3, 12, 13; fluorescence of extract of roots of, 10
HOWARD, RICHARD A.: Following Ekman's footsteps in Santo Domingo [abstr.], 444. Icacinaceae [of Guiana], 411.

The morphology and systematics of the West Indian Magnoliaceae, 335
Hudsonia, 235; *tomentosa*, 584
Humiria balsamifera, 523; *crassifolia*, 523; *floribunda*, 523; var. *guianensis*, 523
Hunter Lake, New York, plants of, 234
Hybanthus concolor, 582
Hybrids, nomenclature of, 496–501; rules for recognition of, 498
Hydrocleis nymphoides, 81
Hydrophyllum virginianum, 585
Hygroamblystegium irriguum, 585
Hygrophilia erecta, 667; *guyanensis*, 667; *quadrivalvis*, *667*; *sandwithii*, 667
Hylenaea comosa, 409
Hymenolytrum, 99; *martii*, 99
Hymenophyllum, 67; *ciliatum*, *69*; *fendlerianum*, 69; *hirsutum*, 69; *lobato-alatum*, 67; *polyanthos*, 70; *protrusum*, 70; sp., 70; *trapezoidale*, 70
Hyospathe sp., 102
Hypolysus montagnei, 63
Hypolytrum, 91; *pulchrum*, 97; *rigens*, *97*; sp, **97**, **99**; *strictum*, 99

Iberis amara, fluorescence in roots of, 5
Ichnanthus axillaris, 88; *panicoides*, 88; *riedelii*, 88
Ilex glabra, fluorescence in roots of, 6
Ilex jenmanii, 644; *monticola*, 234, 583; *tolucana*, 277
Impatiens biflora, fluorescence in roots of, 6
Index to American botanical literature, 121–130, 237–244, 324–334, 460–468, 586–596, 674–690
Inga acrocephala, 385; *bourboni*, 384; *calantha*, 386; **calanthoides**, **385**, **386**; *cayennensis*, 385; *cinnamomea*, 384; *commewijnensis*, 385; *coriacea*, 384; **leptingoides**, **384**, **385**; *micheliana*, 277; *myriantha*, 384; *nobilis*, 385; *prieurii*, *385*; *racemiflora*, 385
Inga sect. *Burgonia*, 385; sect. *Leptinga*, 385; sect. *Pseudinga* series *Longiflorae*, 386
Inga splendens, 385; *stipularis*, 385; *thibaudiana*, 385; *ulei*, 385; *velutina*, 386
Inhibition of first internode of *Avena* by light, action spectrum of, 18–21
Ionopsis utricularioides, **227**, **228**
Ipomoea fragrans, 561; *hederacea*, 234; *parkeri*, 561; var. *subsericea*, 561; *phillomega*, 562; *quamoclit*, 562; *santaerosae*, 280; *squamosa*, 561; *tiliacea*, 561
Iris sp., fluorescence in roots of, 4
Iris versicolor, 498
Iryanthera lancifolia, 307; *macrophylla*, 307; *paraensis*, 307
Ischnosiphon foliaceus, 211; *gracilis*, **211**; *obliquus*, 211
Isertia hypoleuca, 568; *parviflora*, 569
Isidia of *Peltigera*, 486–491
Isoetes brauni, 234; *ovata*, 79
Ithycaulon inaequale, 73
Ixora mazarunensis, **572**; *orinocensis*, 572; *xantholoba*, 572, 573

Jacaranda rhombifolia, 666
JONKER, F. P.: Alismaceae [of Guiana], 81. Burmanniaceae [of Guiana], 211
Juncus brevicaudatus, 269; *greenei*, 584
Juniperus, 148, 162, 470, 481
Juniperus virginiana, fluorescence in roots of, 2
Justicia acuminatissima, *669*, 670; *carthaginensis*, 670; *cayennensis*, 670; *hyssopifolia*, 669; *martiana*, 670; *obtusifolia*, 670; *orchioides*, 669; *pectoralis*, 670; *secunda*, *670*

Kaieteur Plateau, plant explorations to in 1944, 56–115, 180–230, 286–323, 374–438, 523–580, 633–671
Kaieteuria, 645; *gillyana*, *645*
Kalanchoë tubifera, 5
Kalanchoë verticillata, fluorescence in roots of, 5
Kalmia latifolia, fluorescence in roots of, 7
Kalmia polifolia, 583
Karling, John S., 673
KAVANAGH, FREDERICK WALKER: Fluorescing substances in roots, 1. Synergism between some antibacterial substances, 502
KILLIP, E. P.: Passifloraceae [of Guiana], 405
KOBUSKI, C. E.: Ternstroemiaceae [of Guiana], 412
KURTZ, EDWIN B., JR.: Pollen grain characters of certain Cactaceae, 516
Kyllinga pungens, 98

Lacistema aggregatum, **292**; var. **elongatum**, **293**
Lacmellea, 559; *arborescens*, 559; *floribunda*, 559
Lactuca sativa, fluorescence in roots of, 8
Lactuca sp., 271
Lagenocarpus, 101, 102; *amazonicus*, 100; *ciliatus*, 100; *guianensis*, 101; *kunthii*, 101; *tremulus*, 101
Lagenostoma, 135

LAKELA, OLGA: Ferns and flowering plants of Beaver Island, Lake Superior, Minnesota, 265
LANJOUW, J.: Connaraceae [of Guiana], 642. Monimiaceae [of Guiana], 642. Xyridaceae [of Guiana], 638
Lantana hispida, 280
Larix, 148
LARUE, CARL D.: Regeneration in the megagametophyte of *Zamia floridana*, 597
Larus argentatus smithsonianus, 266
Lasiacis ligulata, 89
Lathyrus maritimus, 584
Lathyrus odoratus, fluorescence in roots of, 5
LAWTON, ELVA: List of members of the Torrey Botanical Club, revised to March 2, 1948, 446
Leandra divaricata, 546; *longicoma*, 546; *micropetala*, 546; *purpurea*, 546; *rufescens*, 546; *sanguinea*, 546, **547**
Lechea leggettii, 234
Lecidea cyanea, 117
Lecostemon sylvestre, 396, *397*
Ledum groenlandicum, 266, 270
Leiacina, 284, 285; *capitata*, 283; *lucida*, *283*
Lemna minor, 275
Lens, fluorescence in roots of, 9
Lentinus crinitus, 63
Leptogium, 490
Leptosphaeria, 176; **swartiae, 176**
Leptotesta, 144
Lespedeza capitata, fluorescence in roots of, 5
Lespedeza procumbens, 234
Leucobryum crispum, 65; *martianum*, 65
Leucoloma serrulatum, 64
Leucothocina mexicana, 279
Liabum sublobatum, 281
Libocedrus, 481
Licania albiflora, 318; *apetala*, **318**; **arachnoidea, 318, 319**; *axilliflora*, **319**; *crassifolia*, 301; *densiflora*, **320**, 322; *discolor*, 320; *elliptica*, 320; *gardneri*, 376; *guianensis*, 320; *heteromorpha*, 321; *incana*, 320; *kanukuensis*, 320; **laxa, 321, 322**; *laxiflora*, 322, 382; *leptostachya*, 320; *macrophylla*, **319**; *majuscula*, 322; *micrantha*, 322; *microcarpa*, 375; **microphylla, 322**, 323; *minutiflora*, 323; *mollis*, 323; octandra, **376**; **paniculata, 323**; **parvifructa, 374**, 375; **persaudii, 375**; venosa, 410
Licaria canella, **314**; *cayennensis*, **314**; **maguireana, 315**; *mahuba*, 315; *multiflora*, 314; *oppositifolia*, 314; sp., **314**
Lichens of Guiana, 63
Light, inhibition of first internode of *Avena* by, 18–21
Limodorum altum, *222*
LINDEMAN, J. C: Monimiaceae [of Guiana], 642. Xyridaceae [of Guiana], 638
Lindmania guianensis, 205
Lindsaea coriifolia, 73; *crenata*, 73; *dubia*, 73; *falcata*, 73; *lancea*, 73; *parkeri*, 73; *pendula*, 73; *reniformis*, 73; *sagittata*, 73; sp., 74; *stricta*, 73
LINK, CONRAD B.: Botanical research applied to commercial horticulture [abstr.], 231
Linnaea borealis var. *americana*, 270
Lippia substrigosa, 280
Liquidambar styraciflua, 276
Liriodendron tulipifera, 337
List of members of the Torrey Botanical Club, revised to March 2, 1948, 446–459
Listera australis, 233
Literature, index to American botanical, 121–130, 237–244, 324–334, 460–468, 586–596, 674–690
Lobelia canbyi, 234
Lobelia erinus, fluorescence in roots of, 8
Local flora committee, report of, 233
Lockhartia micrantha, 229; sp., **229**
Lolium perenne, fluorescence in roots of, 3
Lonicera sempervirens, 584
Lopezia mexicana, 279
Loranthus aduncus, *301*; *conduplicatus*, *301*; *paniculatus*, *301*; *theobromae*, *301*
Loreya mespiloides, 545
Luffa, 148
Lupinus perennis, 584; fluorescence in roots of, 5, 9
Luzula saltuensis, 234
Lychniothyrsus, 668, 669; **albus, 669**; **hygrophilus, 669**; **ochroleucus, 669**; **tetragonus, 669**
Lycianthes abrazolensis, 280; sp., 655
Lycopersicon esculentum, fluorescence in roots of, 7, 12, 13; fluorescence of extract of roots of, 10
Lycopodium annotinum, 266, 268; *cernuum*, 79; *clavatum*, 268
Lycopodium clavatum var. *flabelliforme*, fluorescence in roots of, 2
Lycopodium meridionale, 234
Lycopodium obscurum, fluorescence in roots of, 2
Lycopodium obscurum var. *dendroideum*, 267, 268; *selago*, 267; var. *patens*, 268
Lycopus americanus, 234
Lyginopteris oldhamia, 135
Lygodium volubile, 79

Lysimachia quadrifolia, fluorescence in roots of, 7

Mabea, 405; *argutissima*, 406; *caudata*, 405; *piriri*, 406; **saramaccensis, 405**; *schomburgkii*, 406; *subsessilis*, 406; *taquari*, 406
Macairea aspera, 445; *pachyphylla*, 544
McCollum-Pratt fund for the study of trace elements, 585
Machaerium aculeatum, 394; *compressicaule*, 394; *isadelphum, 394; quinatum*, 394; sp., 394
Macrocentrum, 542; *cristatum*, 540, 541; *droseroides*, 540; *fasciculatum*, 540; *fruticosum*, 540, 541; **montanum, 541; parvulum, 540, 541**; *vestitum*, 540
Macrolobium acaciaefolium, 390; *bifolium*, 388, 390; var. **amplexans, 388**, 390; *chrysostachyum*, 389, 390; *guianense*, 390; *huberianum* var. **puberachis, 389**; *jenmani*, 390; **longeracemosum, 389, 390**; *multijugum*, 390; *pendulum*, 389; **stenopetalum, 389, 390**
Macropharynx spectabilis, 555
Madfadyena uncata, 666
Magnolia, 344, **346**; *cubensis*, 335, 347, **349, 354**; *domingensis*, 336, 347, **350, 354**; *ekmanii*, 337, **353, 354**; *foetida*, 347; *fuscata*, 345; *emarginata*, 336, 347, 350, 352, **353**; *grandiflora*, 343, 346, **347**, 348; **hamori**, 336, 337, 338, **339**, 343, 347, **351, 352**; *linguifolia, 356*
Magnolia, morphology of, 335–344
Magnolia pallescens, 347, **350, 351, 354**; *plumieri, 356; portoricensis*, 347, **348, 349**
Magnolia sect. *Theorhodon*, 340
Magnolia splendens, 347, **348**; *virginiana* var. *foetida, 347; yoroconte*, 338
Magnoliaceae of West Indies, morphology and systematics of, 335–357
MAGUIRE, BASSETT: Plant explorations in Guiana in 1944, chiefly to the Tafelberg and the Kaieteur Plateau—I, 56; II, 89; III, 286; IV, 374; V, 523; VI, 633
Maguirea, 635, 636; spathicarpoides, 635, 636
Maianthemum canadense, 269; fluorescence in roots of, 4
Maieta poeppiggi, 549
Maize, origin and evolution of, 443, 444
Malanea angustifolia, 571; *macrophylla*, 572; *sarmentosa*, 572
Malaxis caracasana, 217; **maguirei, 217, 218**
Malouetia schomburgkii, 555; *tamaquarina*, 555
Mammillaria alversonii, 517; *arizonica*, 517; *deserti*, 517; *microcarpa*, 517
Mammillaria, pollen grains of, 516, 517, 519–521
Mammillaria vivipara, 517
Mandevilla benthamii, 555; sp., 555; *subspicata*, 555; *vanheurckii*, 555
Manettia alba, 567; *coccinea*, 567
MANGELSDORF, PAUL C.: The origin and evolution of Indian corn [abstr.], 443
Manicaria, 229
Mapania, 91, 95; *insignis*, 97; *macrophylla*, 95, **96**, 97; *montana*, 95; *pycnocephala*, 95, 98; *schomburgkii, 95*; sp., 95, **98**; *surinamensis*, 95; *sylvatica*, 95, **96**
Mapouria chionantha, 576; fockeana, 577
Maprounea, 400; *guianensis*, 407
Maranta arundinacea, 210
Maranta leuconeura, fluorescence in roots of, 4
Marathrum sp., 383
Marica caerulea, fluorescence in roots of, 4
Maripa glabra, 561
Mariscus umbellatus, 92
Markea coccinea, 656; *porphyrobaphes*, 656
Marlierea buxifolia, 529, 530; cuprea, 530; *dussii, 534*; *guildingiana*, 531; *insculpta*; 530; *montana*, 529, 530; *richardiana, 530*; **salticola, 529**
Martinella obovata, 665
Mary S. Andrews Research Fund, 585
Matayba arborescens, 411
Matelea stenopetala, 560
MATZKE, E. B.: Three-dimensional shapes of epidermal cells [abstr.], 232
Mauripa, 65
Maxillaria, 360; *desvauxiana*, **227**; *violaceo-punctata*, **227**
MAXON, WILLIAM R.: Pteridophyta [of Guiana], 66
Mayaca longipes, 191
Measurements of the annual growth rate of two species of rock lichens, 116, 117
Medeola virginiana, difference in form and reaction to cold in root-tip and apical bud chromosomes of, 250–255
Megagametophyte of *Taxus cuspidata*, 149–159; of *Zamia floridana*, regeneration in, 597–603
Megasporogensis in *Epidendrum prismatocarpum*, 245, 246; in *Taxus cuspidata*, 147, 149
Melaleuca leucodendron, 538
Melampodium oblongifolium, 281

Melampyrum lineare, fluorescence in roots of, 8
Melanthera nivea, 281
Melastiza asperrima, 61
Meliola, 175
Members of the Torrey Botanical Club (March 2, 1948), 446–459
Memora flaviflora, 665; *schomburgkii*, 665
Mendoncia aspera, 667
MENNEGA, A. M. W.: Proteaceae [of Guiana], 299
Menyanthes trifoliata, 234
Mergus serrator, 266
Meschites trifida, 555
Mesosetum loliiforme, 82
Metarrhizum glutinosum, 605, 607, 609
Metasequoia, 439, 440; summary, 439, 440
Metastelma, 560, 561; *brasiliense*, 560; *stenolobum*, 560
Metzgeria hamata, 64
Mezilaurus, 315
Michelia, **344, 345**; *champaca*, **345**; *fuscata*, **345**
Michelia, morphology of, 335–344
Michigan, seed membranes from the coal-bearing rocks of, 131–146
Miconia acinodendron, 549; *bracteata*, 551; *campestris*, 552; *ceramicarpa*, 552; *ciliata*, 549; *chrysophylla*, 550; **demerarensis, 551**; *diaphanea*, 550; *disparilis*, 551, 553; *dodecandra*, 550; *eriodonta*, 551; *glaberrima*, 278; *gratissima*, 550; *guatemalensis*, 278; *ibaguensis*, 552; *lauriformis*, 278; *longifolia*, 550; **maguirei, 552**; *marginata*, 550; *myriantha*, 550; *plukenetii*, 552; *polita*, 552; *pteropoda*, 279, 552; *pubipetala*, 550; *racemosa*, 549; *robusta*, *552*
Miconia sect. *Eumiconia*, 553; sect. *Eumiconia Glomeratiflorae*, 551; sect. *Jucunda*, 553; sect. *Tamonea*, 553
Miconia serrulata, 550; *silicicola*, 551; spp., 553; *tomentosa*, 552; *tschudyoides*, 552, 553; *virgulata*, 550
Microgametophyte of *Taxus cuspidata*, 159, 160
Mimosa microcephala, 384; *myriadena*, 384; *plumaefolia*, 384; *polydactyla*, 384
Mimosa pudica, 39; fluorescence in roots of, 5
Minnesota, ferns and flowering plants of Beaver Island, 265–271
Mitostemma jenmanii, 416
Mitracarpus discolor, 580
MOLDENKE, HAROLD NORMAN: Eriocaulaceae [of Guiana], 194–203. Menispermaceae [of Guiana], 306. The seacost Angelica in the local area, 439. Verbenaceae [of Guiana], 563
Monachanthus discolor, *223*
Monniera trifolia, 396
Monochaetum deppeanum, 279
Monotagma guianense, 210, 211; *parkeri*, 210; *plurispicatum*, 211
Monotropa hypopitys, fluorescence in roots of, 7; *uniflora*, fluorescence in roots of, 7
Monstera falcifolia, 636; *milleriana*, 636; *pertusa*, 636; var. *jacquinii*, 636
Montrichardia, 577; *arborescens*, 88, 393, 636, 669
Moquilea pallida, 376
Mora, 577; sp., 409, 554
Morchella crassipes, 585
Mormodes sp., **223**
Moronobea jenmani, 438
Morphology and systematics of the West Indian Magnoliaceae, 335–357
MORTON, CONRAD V.: Gesneriaceae [of Guiana], 563; Pteridophyta [of Guiana], 66
Mosses of Guiana, 64–66
Moureria fluviatilis, 383
Mucor, 608
Mucuna urens, 395
Mullica River valley, New Jersey, plants of, 234, 235
Murraya koenigii, 177
Mycena, 117–119; *minutula*, 118
Mycena subg. *Eumycena*, 119; subg. *Glutinipes*, 119; subg. *Mycenella*, 119; subg. *Pseudomycena*, 119
Myosotis micrantha, 584
Myrcia berberis, 533; *bracteata*, 533; *cerifera*, 276; *defleza*, 533; *dumosa*, *531*; *fallax*, 533; *kegeliana*, *533*; *minutiflora*, *532*; *platyclada*, *531*; *schomburgkiana*, 534; *sylvatica*, 533; **tafelbergica, 533**
Myrciaria, 532
Myrica cerifera, 233
Myrothecium verrucaria, *605*, *609*
Myrtus montana, 278

Naturalists' Directory, 673
Navia angustifolia, 205; *gleasonii*, 206; **maguirei, 206**; var. **minor, 206**
Nectandra amazonum, 312; *ambigua*, 312; *amplifolia*, *311*; *cuspidata*, **312**; *globosa*, 312; *grandis*, **311**; *lucida*, 312; **maguireana, 311, 312**; *pichurim*, 312; *pisi*, **311**, 312; sp., 316; *urophylla*, 312
Neea cauliflora, 305; *constricta*, 305; *constrictoides*, 305; sp., 305
Nemopanthus mucronata, 583
Nephrolepis pendula, 73
Nepsera aquatica, 543

News notes, 120, 585, 673
NICHOL, MARION ALDRED: Culture of proliferating orchid embryos in vitro, 358
Nicotiana, 51, 54, 498; *suaveolens*, 51; *sylvestris*, 54; *tabacum*, 54; var. *brasiliensis*, 54; var. *fruticosa*, 54; var. *havanensis*, 54; var. *lancifolia*, 54; var. *macrophylla*, 54; var. *virginica*, 54; *tomentosa*, 54
Nitella, 283, 284; *acuminata*, 283, 284; *capitellata*, 283; *clavata*, 284; *flexilis*, 284; *praelonga*, 284; sp., 283, 284
Nomenclature of fossil seeds, 133–135; of hybrids, 496–501; proposed changes in the rules of, 172–174
Nonatelia, 579; *racemosa*, *579*
Norantea guianensis, 300
Normal and induced polyploidation, 443
Notapleura uliginosa, *579*
Notes, 120, 585, 673
Notopora schomburgkii, 651
Nymphaea rudgeana, 306

Obolaria virginica, 582
Ochthocosmus barrae, 396
Ocotea abbreviata, **310**; *canaliculata*, **308, 309**; *caracasana*, **309**; *caudata*, **310**; *commutata*, 308, 316; *glaucina*, **311**; *globifera*, 308; *glomerata*, **309**; *guianensis*, **308**; var. *subsericea*, **308**; *laxiflora*, **309**; *marowynensis*, 310; *martiniana*, 311; *neesiana*, **310**; *oblonga*, **309**; *puberula*, **310**; *punctulata*, 310; *rhyncophylla*, **308**; *schomburgkiana*, **311**, 316; sp., **309**, 316, 317; *urophylla*, *310*
Octoblepharum albidum, 64, 65; *cylindricum*, 65
Octomeria brevifolia, **216**; *exigua* var. **elata, 216**
Odontadenia grandiflora, 556; *nitida*, 556; *puncticulosa*, 556
Odontonema macrophyllum, 669; *schomburgkianum*, 669; *tubiflorum*, 280
Oedematopus duidae, 433; **quadratus**, 424, **425, 432, 433**
Oenone glaziovi, 383; **penicillata, 382, 383**; *richardiana*, 382
Oenothera simsiana, 279
Ogcodeia guianensis, 299
Oleandra articulata, 73; *nodosa*, 73; *pilosa*, 73
Olmedia asperula, 299
Olmediella betschleriana, 278
Olyra cordifolia, 90; *lateralis*, 90; *latifolia*, 90; *longifolia*, 90; *malmeana*, *89*; *micrantha*, 90; *nana*, *89*; *obliquifolia*, 90; *surinamensis*, *90*
Omphalea diandra, 405
On Rafinesque's names for the Characeae, 282–285
Oncidium, 360; *pusillum*, **228**
Onoclea sensibilis, fluorescence in roots of, 2
Onoclea struthiopteris, 234
OOSTSTROOM, S. J. VAN: Convolvulaceae [of Guiana], 561
Ophioglossum ellipticum, 79
Oplismenus hirtellus, 88
Opuntia acanthocarpa, 518, **519**, 520; var. *ramosa*, 518; *aurea*, 521; *basilaris*, **519**, 520; *bigelovii*, 518; *echinocarpa*, 518, 520; *engelmannii*, 520; *flavescens*, 518, **519**, 520, 521; *fragilis*, 518, **519**, 520, 521; *fulgida*, 518; var. *mammillata*, **519**, 520; *gilvescens*, 518, 520, 521; *hystricina*, 521; var. *rhodantha*, 521; *kunzei*, 520; *laevis* var. *canara*, 520; *leptocaulis*, 517, 518; *loomisii*, 520, 521; *macrocentra*, **519**, 520; *phaeacantha*, 520, 521
Opuntia, pollen grains of, 516–522
Opuntia polyacantha, 521; var. *trichophora*, 521; *rhodantha*, 521; *santa-rita*, 520; *spinosior*, 520; *stanlyi* var. *kunzei*, 520
Opuntia subg. *Cylindropuntia*, 516, 518, 520, 521; subg. *Platyopuntia*, 516, 518, 520, 521
Opuntia tenuispina, 520; *tetracantha*, 518; *thornberi*, 520; *tortispina*, 521; *ursina*, **519**, 520, 521; *versicolor*, 518, 520; *whipplei*, 518; *wrightiana*, 520
Orchid embryos, culture of, 358–373
Orchis latifolia, 248; *spectabilis*, 583
Orchyllium, 658
Oriental tobaccos, origin of, 51–55
Origin and evolution of Indian corn, 443, 444
Origin of tobacco of the oriental type, 51–55
Ormosia costulata, 393
Orthaea apophysata, 652
Orthoclada laxa, 81
Oryctanthus botryostachys, 300; *florulentus*, 300, 301
Osmunda cinnamomea, 267; *claytoniana*, 267
Ossaea, 547, 553; *duckeana*, 547
Ostodes, 405
Ouratea, 645, 646; *acuminata*, 646; *cernuiflora*, *645*, 646; **decagyna, 644, 645**; *gigantophylla*, 647; **gillyana, 645**, 646; *guianensis*, 646, 647; *longifolia*, 647; *polygyna*, 644, 645; *roraimae*, 647; *schomburgkii*, 647; sp., 647; *surinamensis*, 647; *tarapotensis*, 647

Oversummering and overwintering of the cereal rust fungi, 492–495
OWENS, OLGA V. H.: An action spectrum for inhibition of the first internode of *Avena* by light, 18
Oxalis europaea, fluorescence in roots of, 5
Ozocladium leprieurii, *63*

Pachyptera kerere, 666
Pachysandra terminalis, fluorescence in roots of, 6
Pachytesta, 145
Paepalanthus bifidus, 195; **brunneus, 195, 196**; *capillaceus* var. *proliferus*, 196; *fasciculatus*, 196; f. *tenellus*, 196; **filipes, 196, 197**; *glaziovii*, 202; **griseus, 197**; *killipii*, 198; **maguirei, 198**; **pauper, 198, 199**; *subtilis*, 199; **tafelbergensis, 199, 200**; *tatei*, 198; *viscosus*, 200
Paganea, 575; *capitata*, 575; *guianensis*, 576
Palicourea crocea, 576; *guianensis*, 576; *nicotianifolia*, 576
Panax quinquefolia, 583
Pandanus veitchii, fluorescence in roots of, 3, 9
Panicum albociliatum, 88; **arctum, 87**; *frondescens*, 86; *laxum*, 86; *kaietukense*, 87; *mertensii*, 88; *micranthum*, 86; *molle*, 85; *nervosum*, 86; *pilosum*, 85; *polycomum*, 87; *pycnoclados*, *88*; *pyrularium*, 87; **rivale, 87, 88**; *rudgei*, 88; **spissifolium, 86**; *stoloniferum*, 86; *tatei*, 85; *zizanioides*, 88
Panopsis sessilifolia, 299
Paphiopedilum, 360
Paragonia pyramidata, 663
Parahancornia tabernaemontana, 556
Paratinera, 294
Pariana longiflora, 90; *zingiberina*, 90
Parinari brachystachya, *382*; *excelsa*, **382**; *lucidissima*, *382*; *montana*, **382**
Paris, 250
Parkia nitida, 383; *oppositifolia*, **383**; *pendula*, **383**; *ulei*, 383
Parmelia, 486, 490
Parmelia centrifuga, growth of, 116, 117
Parmelia conspersa, 116
Paspalum altsoni, 85; **axillare, 84**; *fasciculatum*, 85; *gardnerianum*, 85; *lineare*, 85; **lucidulum, 84, 85**; *melanospermum*, 85; *parviflorum*, 85; *plicatulum*, 85; *pulchellum*, 85; *scandens*, 85
Passiflora alato-caerulea, fluorescence in roots of, 7
Passiflora auriculata, 415; *coccinea*, 415; *costata*, 416; *deficiens*, 416; *foetida* var. *hispida*, 415; *fuchsiiflora*, 416; *garckei*, 415; *glandulosa*, 415; **maguirei, 415, 416**; *membranacea*, 278; *nitida*, 415
Passiflora sect. *Botryastrophea*, 416; subg. *Astrophea*, 416
Passiflora vespertilio, 415
Paullinia parvibractea, 412; sp., 412; *stellata*, 412
Paypayrola grandiflora, 526; *guianensis*, 526
Pecopteris pluckeneti, 144
Pelargonium domesticum, fluorescence in roots of, 6
Pellionia daveauana, fluorescence in roots of, 4
Peltigera, 486, 487; *canina*, 486, 487, **488**, 489; f. *innovans*, 489; var. *rufescens*, 487, 489; *elizabethae*, 489; *evansiana*, 486, 487, 489
Peltigera, experiments on regeneration in, 486–491
Peltigera horizontalis, 487, 489; f. *zopfii*, 489; *lepidophora*, 486, 487, 489; *microphylla*, 486, 489; *Polydactyla*, 486, 487, 489; f. *microphylla*, 489; *praetextata*, 486, 487, 489; *rufescens*, 487; *subcanina*, 489
Peltogyne venosa, 388
Penicillium, 608
Peperomia, **290**; *alata*, **290**; *collocata*, 275; *elongata*, 290; var. **guianensis, 290**; *galioides*, 275; *glabella* var. *melanostigma*, **290**; *macrostachya*, **290**; *magnoliaefolia*, **291**; **maguirei, 291**; *obtusifolia*, 275, **291**; *paniculata*, **291, 292**; *pellucida*, **292**; *quadrifolia*, 275; *reflexa*, 275; *rotundifolia*, **292**; *serpens*, **292**; **tafelbergensis, 292**
Pera bicolor, 403; *glabrata*, 403, 410; *schomburgkiana*, 403
Perama dichotoma, 580; *galioides*, 580; *hirsuta*, 580
Perezia nudicaulis, 281
Peristeria pendula, **224**
Peritassa granulata, 510
Persea benthamiana, **308**; sp., 317
Peschiera, 559
Petasites palmatus, 271
Petrea bracteata, 563; *macrostachya*, 563
Petunia hybrida, fluorescence in roots of, 7
Phainantha, 539; laxiflora, 539
Pharus latifolius, 91; *parvifolius*, 91
Phascum cuspidatum, 597
Phaseolus aureus, fluorescence in roots of, 5
Phaseolus campestris, 395

Phegopteris polypodioides, 234
Philodendron broadwayi, 637; **cyclops, 637**; *demerarae*, 637; *laciniatum*, 637; *nobile*, 638
Philodendron scandens, fluorescence in roots of, 3
Philodendron surinamense, 638
Phleum pratense, fluorescence in roots of, 3, 12, 13; fluorescence of extract of roots of, 10
Phoebe mexicana, 276
Phoradendron crassifolium, 300, 301; *crispum*, 276; **fanshawei, 300**
Phoradendron, Fendlerianae, 300
Phoradendron fendlerianum, 300; *jenmani*, 300
Phoradendron, Paradoxae, 300
Phoradendron racemosum, 300; *zuloagae*, 301
Phryganocydia corymbosa, 667
Phthirusa **adunca, 301**; *angulata*, 301; *guyanensis*, 301; *micrantha*, 302; *monetaria*, 302; *myrsinites*, 302; *paniculata*, *301*; *phaeocladus*, 301; *pyrifolia*, 300, 301; **sandwithii, 302**; *santaremensis*, 301; **savannarum, 301, 302**; *squamulosa*, 301; *theobromae*, *301*
Phyllanthus guyanensis, 400
Phyllogonium fulgens, 66
Phyllostachys castillonis, fluorescence in roots of, 3
Phyllosticta, 176; **epichloes, 176**
Physarum compressum, 60
Physical analysis of the opening and closing movements of the lobes of Venus' flytrap, 22–44
Physostoma, 133, 135, 137, 143; *elegans*, 137, 138, 145; **winchellii, 134–137**, 138, 144, 145
Physurus santensis, *214*
Phytolacca rivinoides, 305
Phytomonas tumefaciens, 45
Picea glauca, 266, 268; *mariana*, 266, 268
Picramnia macrostachys, 397; sp., 397
Pilosium chlorophyllum, 66
Pinguicula moranensis, 280; *vulgaris*, 267, 270
Pinus, 158; *echinata*, 584; *occidentalis*, 352
Pinus strobus, 266, 268, 483; fluorescence in roots of, 2
Piper, **286**; *adenandrum*, 286; *aduncum*, **286**; *aequale*, **286**; *amalago*, 275; *arboreum*, 287; *augustum*, **287**; *caparonum*, *287*; *citrifolium*, *287*; *demeraranum*, **287**; *glabrescens* var. **caparonum, 287**; **gleasonii, 287, 288**; *hostmannianum*, **288**; **maguirei, 289**; *marginatum*, **289**; **saramaccanum, 288**; *subcitrifolium*, 275; *submelanostictum* var. **amelanostictum, 289**; *wachenheimii*, **289**
Pisonia glabra, 305; *olfersiana*, 305; *salicifolia*, 305
Pistia stratiotes, 638
Pisum, fluorescence in roots of, 9, 12
Pisum sativum, fluorescence in roots of, 5, 12, 13; fluorescence of extract of roots of, 10
Pitcairnia funckiana, 206; *maidifolia*, 206; *nuda*, 206
Pithecellobium, 386; (*Abarema*), 386
Pithecellobium acacioides, 387
Pithecellobium (*Arthrosamanea*), 387
Pithecellobium cauliflorum, 386
Pithecellobium (*Chloroleucon*), 387; (*Cojoba*), 387
Pithecellobium corymbosum, 387; *gonggrijpii*, 387; *huberi*, 386; *latifolium*, 386; *mangense*, 387; *parvifolium*, *387*; sp., 387; *villiferum*, 386
Pithecellobium (*Zygia*), 386
Pityrogramma calomelanos, 75
PLAGER, HILDEGARD: A search for virus inhibitors among soil Actinomycetes antagonistic to bacteriophages, 256
Plant explorations in Guiana in 1944, chiefly to the Tafelberg and the Kaieteur Plateau—I, 56–115; II, 180–230; III, 286–323; IV, 374–438; V, 523–580; VI, 633–671
Plantago, 500; *aristata*, 234
Plantago lanceolata, fluorescence in roots of, 8
Plantago major, fluorescence in roots of, 8
Platonia insignis, 438
Plethedon cinereus, 582
Pleurothallis blaisdellii, **215**; *grobyi*, **215**; *hitchcockii*, **215**; *leptopetala*, **215**; *ruscifolia*, **216**; *stenopetala*, **216**
Pleurotus griseus, 502, 507, 509
Plinia, 534; *dussei*, 534
Poa complessa, 268; fluorescence in roots of, 3
Poa cuspidata, 582; *glauca*, 268; *interior*, 268; *palustris*, 268
Poa pratensis, 268; fluorescence in roots of, 3
Poa trivialis, fluorescence in roots of, 3
Podocarpus, 154, 160, 470, 481, 482
Poecilandra retusa, 644
Pogonophora schomburgkiana, 404; f. *elliptica*, 405; f. *longifolia*, 405

Pollen grain characters of certain Cactaceae, 516–522
Pollen tube of *Taxus cuspidata*, 160
Polybotrya cordata, 71
Polycynus surinamensis, 224, 226
Polygala adenophora, 398; *appressa*, 399; *longicaulis*, 399; *mollis*, 399; *pauciflora*, 583
Polygala polygama, fluorescence in roots of, 6
Polygala variabilis, 399
Polygonum cilinode, 269; *convolvulus*, 269; *lapathifolium*, 269; *mexicanum*, 276
Polylychnis, 668; **essequibensis, 667, 668**
Polyploidation, 443
Polypodium articulatum, 76; *aureum*, 76; *brasiliense*, *78*; *caceresii*, 76; *ciliatum*, 76; *duale*, 76; *flagellare*, 76; *fraxinifolium*, 76; *lycopodioides*, 77; var. *salicifolium*, 76, 77; *mollissimum*, 77; *nanum*, 77; *panorense*, 77; *percussum*, 77; *persicariifolium*, 77; *phyllitidis*, 77; *plumula*, 77; *polypodioides* var. *burchellii*, 77; *repens*, 77; sp., 78; *squamulosum*, 77; *surinamense*, 77; *taenifolium*, 77; *taxifolum*, 77; *tectum*, 78; *triseriale*, 78; *virginianum*, 267
Polyporus albogilvus, 61; *biformis*, 502, 509; *corrosus*, 61; *fulvocinereus*, 61; *licnoides*, 62
Polystachya luteola, 222
Polystichum acrostichoides, fluorescence in roots of, 2, 12, 13
Polystroma fernandezii, 63
Polytaenium, 67, 76; *brasilianum*, 76; *cayennense*, 76
Populus deltoides, 266; *tremuloides*, 269
Poria corticola, 502–511; *tenuis*, 502, 507, 509
Portulaca pilosa, 306
Posoqueria longiflora, 570
Potamoganos microcalyx, 663
Potarophytum riparium, 204
Potentilla, 444; *fruticosa*, 266, 269; *monspeliensis*, 269
Potentilla simplex var. *typica*, fluorescence in roots of, 5
Potentilla tridentata, 269
Pourouma guianensis, 299
Pouteria sp., 410
Prenanthes autumnalis, 234; *virgatum*, 234
Prestonia acutifolia, 556; *marginata*, 556; *perplexa*, 556; *surinamensis*, 556
Primula intercedens, 270; *kewensis*, 498; *mistassinica*, 270; spp., 267
Prionostemma aspera, 409
Proembryo and early embryogeny in *Taxus cuspidata*, 469–485
Proceedings of the Club, 231–233, 440–445, 573, 574
Proliferating orchid embryos, 358–373
Protium attenuatum, 643; *icicariba*, 643; *heptaphyllum* var. *brasiliense*, 643; **pullei, 643;** *trifoliolatum*, 643
Prunus maritima, 584
Pscadocolymma, 670
Psedera sp., 584
Pseudopaegma oligoneuron, 667
Pseudotsuga, 469
Psidium aromaticum, 538; *ovatifolium*, 538; var. **glabrum, 538**; *parviflorum*, 538; var. **saramaccense, 537**; spp., 529
Psittacanthus cucullaris, 302; *lasianthus*, 302
Psychotria, 579; *astrellantha*, 576; *barbiflora*, 576; *bostrychothyrsus*, 578; *capitata*, 576; *chionantha*, 576; *chlorantha*, 576; *crocochlamys*, *575*; *cuspidata*, 577; *dichotoma*, 577; *erecta*, 577; *fockeana*, 577; *hoffmannseggiana*, *578*; *inundata*, 576; *involucrata*, 578; *kaieteurensis*, 577; *lupulina*, 577; **maguirei, 578;** *mapouria*, 578; *officinalis*, 578, 671; *patens*, 578; *racemosa*, 579
Psychotria subg. *Mapouria*, 578
Psychotria uliginosa, 579
Pteridium latiusculum, fluorescence in roots of, 2, 12, 13
Pteridophyta of Guiana, 66–79
Pteris altissima, 75; *kunzeana*, *75*; *pungens*, 75
Pterocarpus santalinoides, 394; sp., 553
Pterolepis, 544; *glomerata*, 544
Pterozonium, 75
Puccinia coronata, 493; *dispersa*, 493; *graminis*, 492, 493; *graminis tritici*, 493, 494; *simplex*, 493; *sorghi*, 493; *triticina*, 492, 493
Pyrola elliptica, 270; *secunda*, 270
Pyxidanthera barbulata, 582, 583

Qualea albiflora, 644
Quassia amara, 396
Quapoia bracteolata, 433
Quercus, 499, 500; *alba*, 584; *coccinea*, 584; *ilicifolia*, 584; *marylandica*, 584; *prinus*, 584; *stellata*, 584; *velutina*, 584

Raddiella, 89; malmeana, 89; nana, 89; truncata, 89, 90
Rafinesque's names for the Characeae, 282–285
Rana sylvatica var. *cantabrigensis*, 266

Randia armata, 570
Ranunculus bulbosus, fluorescence in roots of, 5
Ranunculus ficaria, 582
Rapatea linearis, 204; *paludosa*, *204*; var. **paludosa**, **204**; var. **sessiliflora**, **204**; xiphoidea, 204
Raphano-Brassica, 498
Raphanus sativus, fluorescence in roots of, 5
Recordoxylon amazonicum, 391
REESE, ELWYN T.: The black *Aspergilli* in relation to cellulosic substrata, 604
Regeneration in *Peltigera*, 486–491; in the megagametophyte of *Zamia floridana*, 597–603
Reimarochloa acuta, 82
Renealmia monosperma, 210; *occidentalis*, 210; *pedicellaris*, 210; sp., 210
Report of the Field Committee, 233
Research Fund, the Mary S. Andrews, 585
Retiniphyllum laxiflorum, 571; **maguirei**, **571**; *schomburgkii*, 571
Reviews: Blasdale, Walter C: The cultivated species of *Primula*, 672
Campbell, D. H.: Origins of the flora of California, 119, 120
Ross-Craig, Stella: Drawings of British Plants, Part I, II, 672, 673
Smith, Alexander H.: North American species of *Mycena*, 117–119
Sowter, F. A. (ed.): Transactions of the British Bryological Society, 445
Wiggins, Ira L.: Origins of the flora of California, 119, 120
Rhabdadenia biflora, 557
Rhabdodendron amazonicum, 396, 397; *arirambae*, 397; *crassipes*, 396, 397; *duckei*, 397; *gardnerianum*, 396; *longifolium*, 397; *macrophyllum*, 396; **sylvestre**, **397**
Rhacodiscus, 669, 670; **calycinus**, **669**, 670; **secundus**, **670**
Rhamnus capreaefolia, 277
Rheedia acuminata, 437; *benthamiana*, 437; *floribunda*, 437, 438; *kappleri*, 438; *lateriflora*, 437; *macrophylla*, 437; **martinii**, 426, **427**, **437**, **438**
Rheedia sect. *Verticillaria*, 438
Rheedia virens, 437, 438
Rhein, "cassic acid" identified as, 581
Rheum officinale, 581
Rhizocarpon geographicum, growth of, 116, 177
Rhodobryum beyrichianum, 66
Rhodospatha latifolia, 638; *spruceana*, 638
Rhoeo discolor, fluorescence in roots of, 4
Rhus copallina, fluorescence in roots of, 6
Rhus glabra, 234
Rhyncholacis macrocarpa, 383
Rhynchospora, 91; *arenicola*, 93; *barbata*, 93; *cephalotes*, 93; *comata*, 94; *curvula*, 94; *cyperoides*, 94; *filiformis* var. *latifolia*, *94*; *graminea*, 94; *longispicata*, *94*; *microcephala*, 234; *pilosa*, 93; *riparia*, 94; *tenella*, 94; *tenuis*, 94; var. *maritima*, 94
Rhytiglossa, 670; *cayennensis*, 670, *671*
Ribes glandulosum, 268, 269; *oxyacanthoides*, 269; spp., 266; *triste*, 269
RICKETT, HAROLD WILLIAM: Citation of botanical references, 166. Citation of authors' names in taxonomy, 172. [Notes, 673.] [Review], 672. The nomenclature of hybrids, 496
Rinorea flavescens, 526, 527; *macrocarpa*, 526; *pubiflora*, 527; *riana*, 527; sp., 527
ROBBINS, WILLIAM JACOB: Synergism between some antibacterial substances, 502
Roentgenia sordida, 664
ROGERS, DONALD P.: A comparison of evolutionary tendencies in plants, fungi, and animals [abstr.], 442. Minutes of the meeting. . . ., 441–445
Rollinia exsucca, 641
Rondeletia laniflora, 280
Roots, fluorescing substances in, 1–17
Root-tip and apical bud chromosomes of *Medeola*, difference in form and reaction to cold in, 250–255
Rosa acicularis, 266, 270
Rosaceae subfam. Chrysobalanoides, 317
Ross-Craig, Stella: Drawings of British plants [review], 672
Rostellularia, 670
Rouliniella, 560, 561; *guianensis*, 560
Roupala borealis, 276
Rourea frutescens, 642; *surinamensis*, 642
ROYEN, G. VAN: Podostemaceae [of Guiana], 382
Rubus, 444, 498; *adenotrichos*, 276; *macrogongylus*, 276; *pubescens*, 269; *rosaefolius*, 276; *strigosus*, 266, 269
Rudgea cornifolia, 579; *cornigera*, 579; *fimbriata*, *579*; *graciliflora*, 579; *hostmanniana*, 579
Ruellia, 668, 669; *alba*, 668, *669*; *hygrophila*, 668, *669*; *ochroleuca*, 668, *669*; *tetragona*, 668, *669*
Rules for citation, 166–171
Rumex acetosella, fluorescence in roots of, 4, 9

Rumex mexicanus, 269
Rust fungi, oversummering and overwintering of, 492–495

Sabicea aspera, 569; *glabrescens*, 569
Saccoloma inaequale, 73
Sacoglottis guianensis, 523; var. *dolichocarpa*, 523
Sagittaria, 235; *lancifolia*, 81; *latifolia*, 234
Sagotia, 404, 405; *racemosa*, 404; **tafelbergii, 404**
Salacia amplectens, 409
Salacia, group *Ellipticae*, 410
Salacia impressifolia, 410; *juruina*, 410; *kanukuensis*, 409; *multiflora*, 409; sp., 410
Salix bebbiana, 266, 269; *discolor* var. *latifolia*, 179; *fuscata*, 179; *gracilis*, 178, 180–184; var. *rosmarinoides*, 184, 185; var. *textoris*, 181, 184; *grisea*, 184; *humilis*, 179; *interior*, 184; *lucida*, 184; *nigra*, 184; *petiolaris*, 178–187
Salix petiolaris, J. E. Smith: American, not British, 178–187
Salix petiolaris var. *angustifolia*, 185; var. *gracilis*, 185; *rosmarinifolia*, 179, 184
Salpinga, 542
Salvador (El), plants of, 272–281
Salvia carlsonae, 280; *karwinskii*, 280; *shannoni*, 280
Sambucus canadensis, fluorescence in roots of, 8
Sambucus pubens, 266, 270; *racemosa*, 234
SANDWITH, N. Y.: Bignoniaceae [of Guiana], 662. Ebenaceae [of Guiana], 654
Sandwithia, 404
Sanguinaria canadensis, 582
Sanicula liberta, 279
Santo Domingo, Ekman in, 444, 445
Sapodilla, 207
Sarcina lutea, 502, 504, 505, 508
Sarcostemma clusum, 280
Satyria, 652, 653; *carnosiflora*, 652, 653; **maguirei, 650–652**
Saurauia kegeliana, 278; *subalpina*, 278
Sauvagesia amoena, 648; *erecta*, 648; *roraimensis*, 648; *sprengelii*, 648
Saxegothaea, 151, 470, 481, 482
Saxifraga sarmentosa, fluorescence in roots of, 5
Saxifraga virginiensis, 267, 269, 582
Saxo-fridericia regalis, 204
Scaphyglottis violacea, **222**
SCHATZ, ALBERT: A search for virus inhibitors among soil Actinomycetes antagonistic to bacteriophages, 256
Schizaea, 67; *elegans* var. *flabellum*, 79; *incurvata*, 79; *pusilla*, 234
Schizophyllum commune, 63
Schlegelia spruceana, 667
Schoenus maritimus, 99
Schradera, 569; *polycephala*, 569; **surinamensis, 569**
Sciadopitys, 482
Scirpus caespitosus, 268; *cubensis*, 92; *cyperinus*, 268; *micranthus*, 92
Scleria, 100, 101; *arundinacea*, 99; *liebmannii*, 99; *macrogyne*, 99; *martii*, 99; *micrococca*, 99; *mitis*, 99; *nitida*, 234; *pterota*, 99; var. *melaleuca*, 99; *secans*, 100; *violacea*, 99
Search for virus inhibitors amongst soil Actinomycetes antagonistic to bacteriophages, 256–264
SEAVER, FRED JAY: Fungi [of Guiana], 60
Sebastiana, 407; *corniculata*, 406, 407; *linearifolia*, 407
Secale cereale, 371; fluorescence in roots of, 3
Securidaca diversifolia, 399; *paniculata*, 399; var. *lasiocarpa*, 399; *uniflora*, 399
Sedum, 500; *ternatum*, 582
Seeds, effect of age and storage conditions upon germination and yield of, 441, 442
Seeds, fossil, 131–146
Seeds of Magnoliaceae, 342
Selaginella dendricola, 80; *epirrhizos*, 79; *flagellata*, 80
Selaginella kraussiana, fluorescence in roots of, 2
Selaginella mazaruniensis, 80; *parkeri*, 80; *pedata*, 79; *potaroensis*, 80; *producta*, 80; *revoluta*, 80; *tuberculata*, 80; *valdepilosa*, 80
Sematophyllum subsimplex, 66
Senecio arborescens, 280; *chinotegensis*, 281; *petasioides*, 281; *serraquitchensis*, 281; *thomasii*, 281; *tomentosus*, 584
Septoria cynodontis, 175; *swertiae*, 175, 176
Sequoia, 158, 440, 470
Sequoiadendron, 158, 470, 481, 482
Setaria geniculata, 89
Shapes of cells, 232, 233
Sheeting, activity of *Aspergilli* on, 622, 624
Sigmatostalix amazonica, **228**
Silene pennsylvanica, 584
Silva of North America, 673
Simaba alata, 397, 398; *crustacea*, 398; *guianensis*, 398; *monophylla*, 398; *multiflora*, 398
Simaruba amara var. *opaca*, 398; var. *typica*, 398

SINGER, ROLF: [review], 117
Sipanea ovalifolia, 568; *pratensis*, 568
Siparuna decipiens, 642; *guianensis*, 642; sp., 642; *sprucei*, 642
Siphanthera capitata, 538; *hostmannii*, 538; *jenmani*, 538
Siphula fastigiata, 63
Sisyrinchium, 444
Sisyrinchium graminoides, fluorescence in roots of, 4
SIU, R. G. H.: The black *Aspergilli* in relation to cellulosic substrata, 604
SMALL, JOHN A.: [Report of the Field Committee, 233.] [Report of] The Local Flora Committee, 233
Smilacina flexuosa, 275; *paniculata*, 275; *stellata*, 584
Smilax cumanensis, 208; *cuspidata*, 209; *floribunda*, *208*
Smilax glauca, fluorescence in roots of, 4
Smilax jalapensis, 275; *kunthii*, 208; *schomburgkiana*, 208; spp., 208, 209; *syphilitica*, 209
SMITH, ALBERT CHARLES: Hippocrateaceae [of Guiana], 409. Myristicaceae [of Guiana], 307
Smith, Alexander H.: North American species of Mycena [review], 117
SMITH, LYMAN B.: Bromeliaceae [of Guiana], 205
Sobralia liliastrum, **214**; spp., **214**
Solanum hostmanni, 656; *jamaicense*, 656; *laetum*, 655; *paludosum*, 656; *rubiginosum*, 656; *rugosum*, 655; *scandens*, 655; var. *laetum*, 655; *sempervirens*, *655*; *stramoniifolium*, 656; *subinerme*, 656; *surinamense*, 655
Solanum tuberosum, fluorescence in roots of, 7
Solidago canadensis, 498; *hispida*, 270; *junceus*, 270
Solidago rugosa, fluorescence in roots of, 8
Solidago sempervirens var. *mexicana*, fluorescence in roots of, 8
Solidago serotina, 498; var. *gigantea*, 498; *uliginosa*, 270
Some cutinized seed membranes from the coal-bearing rocks of Michigan, 131–146
Some new or interesting fungi, 175–177
Sorbus americanus, 234; *subvestita*, 266, 269
Sorghum vulgare, fluorescence in roots of, 3
Spachea elegans, 525
Sparganium eurycarpum, fluorescence in roots of, 3
Spartina townsendii, 498
Spathanthus jenmani, 204; *unilateralis*, 205
Spathiphyllum cannaefolium, 638
Spathycarpa, 636
Spermatites, 133, 142, 146; **cylix**, **136**, **144**, **145**, 146; **globosus**, **136**, **144**, 146; **reticulatus**, **136**, **142**, **143**, 144, 146
Sphagnum, 639; *macrophyllum*, 234; *palustre*, 64
Sphenopteris obtusiloba, 132; sp., 132
Sphyrospermum majus, 653
Spiraea alba, 266, 269
Spirotropis longifolia, 393
Spondias sp., 636
Sporobolus indicus, 82
Stachytarpheta cayennensis, 563; *frantzii*, 280; *jamaicensis*, 563
STANDLEY, PAUL CARPENTER: Moraceae [of Guiana], 293. Rubiaceae [of Guiana], 564
Stanhopea grandiflora, **226**
Stapelia variegata, fluorescence in roots of, 7
Staphylococcus aureus, 259, 502–510
STEERE, WILLIAM CAMPBELL: [review], 445
Stegiolepis angustata, 205; *ferruginea*, 205
Steirachne diandra, 81
Stelis argentata, **214**; *drosophila*, **215**
Stellaria cuspidata, 276; *longifolia*, 269
Stellaria media, fluorescence in roots of, 4
Stemmadenia, 557; **cerea**, **557**; *donnell-smithii*, 279; *grandiflora*, 558; *lagunae*, 557
Stemonacanthus, 668
Stenospermatum spruceanum, 638
Stereum decolorans, 63; *hydrophorum*, 63
STERLING, CLARENCE: Gametophyte development in *Taxus cuspidata*, 147. Proembryo and early embryogeny in *Taxus cuspidata*, 469
STEYERMARK, JULIAN A.: Lentibulariaceae [of Guiana], 657
Stigmaria, 132
Stigmatophyllon convolvulifolium, 525; *fulgens*, 525
Stirps, 119
Stizophyllum sp., 665
Storage of seeds, effect of upon germination and yield, 441, 442
Strempelia fimbriata, *579*
Streptogyne crinita, 81
Streptopus amplexifolius, 234; *roseus*, 234, 582
Strophostyles umbellata, 234
Struthanthus aduncus, *301*; *densiflorus*, 276; *dichotrianthus*, 303; *phaeocladus*, *301*

STUHLMAN, OTTO JR.: A physical analysis of the opening and closing movements of the lobes of Venus' fly-trap, 22–44
Stylosanthes viscosa, 395
Styrax americana, fluorescence in roots of, 7
Styrax guianensis, 655; *polyneurus*, 279
Svenhedinia, 356; *minor*, *355*; *truncata*, *357*
SVENSON, HENRY KNUTE: Cyperaceae [of Guiana], 91
SWALLEN, JASON R.: Gramineae [of Guiana], 81
SWAMY, B. G. F.: The embryology of *Epidendrum prismatocarpum*, 245
SWART, J. J.: Burseraceae [of Guiana], 643
Swartzia arborescens, 392; *benthamiana*, 391; *brachyrhachis* f. *glabrata*, 392; var. *snethlageae*, 392; *eriocarpa*, 392; *grandiflora* var. *leiogyne*, 392; *recurva*, 392; *remiger*, 392; *remigifer*, *392*
Swertia sp., 175, 176
Symphonia globulifera, 438
Synergism between some antibacterial substances, 502–511
Syngonanthus biformis, 200; *gracilis*, **200, 201; guianensis, 201; savannarum, 202**; simplex, 202; **surinamensis, 202, 203**; *tricostatus*, 203; *umbellatus*, 203
Syngonium ternatum, 638
Syngramma, 75; sp., 75
Syrrhopodon leprieurii, 65; *prolifer*, 65

Tabebuia capitata, 666; *insignis*, 666; *ipe*, 666; *longipes*, 417; *roraimae*, 666; *serratifolia*, 666; sp., 666; *stenocalyx*, 666; *subtilis*, 666
Tabernaemontana, 559; *albescens*, 558; *albiflora*, 558; *apoda*, 559; *arcuata*, 559; *attenuata*, 558; *flavicans*, 557; *heterophylla*, 558; *psychotrifolia*, 559; *schippii*, 559; *tetrastachya*, 558; *undulata*, 558; **versicolor, 559**
Tachigalia paniculata, 391; *pubiflora*, 391
Tafelberg, plant explorations to in 1944, 56–115, 180–230, 286–323, 374–438, 523–580, 633–671
Talauma, 344, **353, 354**; *dodecapetala*, 335, 340, **341**, 342, 355, **356**; *minor*, 336, 338, 342, **355**, 357
Talauma, morphology of, 335–344
Talauma mutabilis var. *splendens*, *348*; *orbiculata*, *355*; *plumieri*, *355*, *356*; *splendens*, *348*; *truncata*, 336, 355, **357**
Talisia elephantipes, 411; *hemidasya*, 411
Tapira guianensis, 655
Taraxacum palustris, 271
Tassadia, 561; *propinqua*, 561
Taxodium, 148, 481
Taxonomic and cytological notes on the annual species of *Helianthus*, 512–515
Taxus, 147, 149, 157, 162, 163; *baccata*, 149, 161, 474, 481–483
Taxus canadensis, 149, 161; fluorescence in roots of, 2
Taxus cuspidata, development of gametophytes of, 147–165; proembryo and early embryogeny of, 469–485
Taxus wallichiana, 474, 482
Tectaria plantaginea, 71; *trifoliata*, 71
Telaranea nematodes, 233–235
Terminalia, 300; *amazonia*, 651; *obovata*, *651*; *oliveri*, 651; **quintalata, 649, 650**; sp., 409
Ternstroemia, 412; *browniana*, **413**; *candolleana*, **413**; *circumscissilis*, **412, 413**; *dentata*, **413, 414**; *punctata*, **413**; *schomburgkiana*, **413**; *verticillata*, **414**
Tetraclinis, 162, 470
Tetrapteris acutifolia, 524; *fimbripetala*, 524; *squarrosa*, 524
Thalia geniculata, 211
Thalictrum sp., 269
Thamnomyces chamissonis, 61
Thibaudia nutans, 653; *ulei*, 653
THIRUMALACHAR, M. J.: Some new or interesting fungi, 175
THOMSON, JOHN W., JR.: Experiments upon the regeneration of certain species of *Peltigera*; and their relation to the taxonomy of this genus, 486
Thuidium acuminatum, 66
Thuja occidentalis, 266, 268
Thurnia sphaerocephala, 208
Thyrsacanthus schomburgkianus, 669
Thyrsodium dasytrichum, **408**; *schomburgkianum*, 408
Tibouchina, 544; *aspera*, 544
Tillandsia bulbosa, 207; *leiboldiana*, 275; *triticea*, 307
Tiparvia guianensis, 409
Tithonia, 515; *rotundifolia*, 514; *speciosa*, 515
Tobacco, origin of oriental type of, 51–55
Tococa aristata, 549; *desiliens*, 549; *nitens*, 549
Tolypella, 282, 283, 284
Tonina pluviatilis, 203
Tontelea richardi, 410
Torrey Botanical Club, list of members of, March 2, 1948, 446–449; Proceedings of, 231–233, 440–445, 673, 674

Torreya, 116–120, 231–236, 439–445, 582–585, 672–674
Torreya, 147, 148, 151, 154, 157, 160, 162, 481, 482; *nucifera*, 482
Toulicia elliptica, 411, 412; *patentinervis*, 412; *pulvinata*, 412; sp., 411, 553
Tovomita, 432, 433; *brasiliensis*, 433; *brevistaminea*, 433, 436; *calodictyos*, 433, **434**; *cephalostigma*, 434; **divaricata, 434, 435; fanshawei**, 434, **435, 436**; grata, **437**; *obovata*, **437**; *schomburgkii*, 436, 437; *tenuiflora*, 437
Trace elements, McCollum-Pratt Fund for the study of, 585
Tradescantia, 500; *geniculata*, 203
Tradescantia reflexa, fluorescence in roots of, 4
Tragia, 403; *corniculata*, *406*
Tragopogon pratensis, 585
Trametes serpens, 509
Transactions of the British Bryological Society [review], 445
Trattinickia burserifolia, 643
Trema micrantha, 293
Trichachne insularis, 82
Trichanthera gigantea, 667
Trichaptum trichomallum, 62
Trichilia acariaeantha, 644; *subsessilifolia*, 643
Trichoderma, 259
Trichomanes ankersii, 69; **anomalum, 67**; *arbusculum*, 68; *botryoides*, 68; *cellulosum*, 68; *cordifolium*, 68; *cristatum*, 68, 69; *elegans*, 68; *hookeri*, 68; *hostmannianum*, 68; *hymenophylloides*, 68; *kraussii*, 68; *pedicellatum*, 68; *pilosum*, 69; *pinnatum*, 69; *rigidum*, 69; *trigonum*, 69; *trollii*, 69; *tuerckheimii*, 69; *vittaria*, 69
Trichosteleum papillosum, 66
Trientalis americana, 270
Trifolium dubium, 584
Trifolium hybridum, fluorescence in roots of, 5
Trifolium incarnatum, 584
Trigonia kaieteurensis, 399, 400; *microcarpa*, 400; *villosa*, 400
Trigonocarpolithus, 133, **139; typicus, 134, 139–141**, 143, 145
Trigonocarpus, 141, 145; *parkinsoni*, 141
Trilepis, 91
Trillium, 250
Triplaris americana, 305; *melaenodendron*, 276; *surinamensis*, 304
Tripodandra cumanensis, 276
Tripsacum, 444
Trisetum spicatum, 268
Triticum sp., fluorescence in roots of, 3, 12, 13; fluorescence of extract of roots of, 10
Triumfetta dumetorum, 278
Trollius laxus, 582
Tropaeolum majus, fluorescence in roots of, 6
Tsuga canadensis, fluorescence in roots of, 2
Tumor tissue, effect of extracts of, 48; growth-promoting action of, 45–50
Turnera glaziovii, 527
Tussacia rupestris, 566
Typha domingensis, 81; *latifolia*, 234; *truxillensis*, 275

Uncaria guianensis, 566
Unonopsis glaucopetala, 640; *guatterioides*, 640
Urospatha sagittifolia, 638
Usnea, 486, 490
Utricularia, 658; *adpressa*, 661; *alutacea*, *658*; *amethystina*, 658; **f. alutacea**, 658; *angustifolia*, 658; *calycifida*, 660; *hirtella*, 659; *humboldtii*, 658; *juncea* **f. virgatula**, 661; **kaieteurensis, 658, 659**; *longeciliata*, 659; *longifolia*, 660; **maguirei, 659, 660**; *nelumbifolia*, 660; *peckii*, 660; *peltata*, 661; *reniformis*, 660; *rubricaulis*, *660*, 661; *subulata*, 661; **f.** *cleistogama*, 662; *virgatula*, 661

Vaccinium, 499, 500; *canadense*, 270; *oxycoccus*, 234, 583; *pennsylvanicum*, 270, 584; var. *myrtilloides*, 270; *poasanum*, 279; sp., 266; *spathulatum*, 654; *subcrenulatum*, 652, 654
Vanda tricolor, 358; proliferating embryos of, 358–364, 366–368, 372
Vanilla pompona, **213**; *wrightii*, **213**
Viburnum alnifolium, 234; *guatemalense*, 281
Viguiera, 515
Vinca rosea, 45
Viola, 444, 498, 499; *adunca*, 270; *arvensis*, 499; *incognita*, 266, 270
Viola papilionacea, fluorescence in roots of, 6
Viola rostrata, 583
Viola tricolor, 499; fluorescence in roots of, 6, 9
Virola sebifera, 307; *surinamensis*, 307
Virus inhibitors, search for, 256–264
Vismia angusta, *417*; *confertiflora*, 417; *macrophylla*, 417; *rufescens*, 418

Vitex compressa, 563; *stahelii*, 563; *triflora*, 563
Vitis aestivalis, fluorescence in roots of, 6
Vittaria filifolia, 75; *lineata*, 76; *remota*, 76
Vochysia tetraphylla, 644
Vriesia longibracteata, *207*; *procera*, 207; *splendens*, 207; *viridiflora*, 207

Waldsteinia fragarioides, 234
Wallenia laurifolia, 352
Weddelina squamulosa, **382**
West Indian Magnoliaceae, morphology and systematics of, 335–357
WHITE, W. LAWRENCE: The black *Aspergilli* in relation to cellulosic substrata, 604
Widdringtonia, 148, 151, 162
Wiggins, Ira L.: Origins of the flora of California [review], 119
WOLF, FREDERICK A.: The origin of tobacco of the oriental type, 51
WOLF, FREDERICK T.: The origin of tobacco of the oriental type, 51
WOOD, R. D.: On Rafinesque's names for the Characeae, 282
WOODARD, T. M. JR.: Difference in form and reaction to cold in root-tip and apical bud chromosomes of *Medeola*, 250
Woodsia ilvensis, 267
WOODSON, ROBERT E., JR.: Apocynaceae [of Guiana], 553
Wullschlagelia calcarata, **214**

Xiphidium coeruleum, 209
Xylaria cubensis, 61; *dendroidea*, 61, **62**; *grammica*, 61; *guianensis*, 61; *multiplex*, 61; sp., 61
Xylopia amazonica, 640
Xylosma flexuosum, 278
Xyris, 95, 192; *americana*, *193*; **connosepala**, **639**, **640**; *dolichosperma*, 638; *filiscapa*, 640; *glabrata*, 639; *guianensis*, 639, 640; *longiceps*, 639; *paraensis*, 639; *spathacea*, 639; *subuniflora*, 640; *surinamensis*, 639; *uleana*, 639

YUNCKER, T. G.: Piperaceae [of Guiana], 286
Yuyba, 104; **dakamana**, 106, **108**, **110**; **essequiboensis**, 106, **108**, **111**; **maguirei**, **106**, **107**; **stahelii**, **106**, **109**

Zamia floriana, fluorescence in roots of, 2, 9; regeneration in the megagametophyte of, 597–603
Zea mays, fluorescence in roots of, 3; origin and evolution of, 443, 444
ZEIST, W. VAN: Connaraceae [of Guiana], 642
Zinowiewia rubra, 277
Zschokkea, 559
Zygocactus truncatus, fluorescence in roots of, 7